



BOSCH

PROFESSIONAL BLUE POWER TOOLS FOR TRADE AND INDUSTRY 2023



Edition: Jan 2023




BeConnected is a simple way for users to stay connected through product registration


Avail the best-in-class Bosch products with all the exciting benefits such as Paperless Warranty, Warranty Extension, Reward Points*, Cash Back*, Product Information and Seamless After Sales Service




Scan the QR code on the label of your Power Tool




Register on BeConnected and get benefited



Receive E-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons!



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Warranty Certificate

Quality products with certified assurances

Promotions / Coupons

Win exciting rewards and prizes

Communication / Bosch Power Tools

Stay up to date with the latest from Bosch Power Tools

Product Info (Video)

Valuable demos and tutorials on the product

Where to Buy / Service

Locate the nearest Bosch dealer to you

Fleet Management

Manage your entire portfolio of products

Ratings & Reviews

Share your valuable experience with us and your peers

* T&C Apply, Periodic promotions

CORDLESS



SCREWDRIVER

Bosch GO 2.0 Professional



Technical Specifications

HSN code	84672900
Part no.	06019H21L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX

Scope of supply:
1 USB cable,
PH1 & PH2 screw bit

MRP: ₹5,425



SCREWDRIVER

Bosch GO 2.0 Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019H2181
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX

Weight excl. battery 0.31 kg
Scope of supply:
Carrying case, Micro USB cable,
33-piece screwdriver bit set

MRP: ₹5,875



DRILL DRIVER

GSR 120-Li (Single Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F1
Battery voltage	12V
No-load speed	0-400 / 0-1,500 rpm
Torque, max. (hard/soft)	30/14 Nm
Max. screw diameter	7mm
Chuck size	10 mm
Drilling in wood/metal	20 / 10 mm
Weight incl. battery	0.97 kg

Scope of supply:
1 x 12V 2.0 Ah Li-ion battery,
1 Charger, Carry case

MRP: ₹7,525



DRILL DRIVER

GSR 120 Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F0
Battery voltage	12V
No-load speed (1 ST /2 ND)	0-400 / 0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Max. screw diameter	7mm
Max. drilling (wood/steel)	20/10mm
Chuck size	10 mm

Scope of supply:
2 x 12V 2.0 Ah Li-ion batteries,
1 Charger, Carry case,
Accessory set, 6 Metal drill bit,
4 Wood drill bit, 10 Screw driver
bit and 1 Screw driver bit holder

MRP: ₹12,025



DRILL DRIVER

GSR 12V-30 (Solo) Professional


1

CORDLESS



HEAVY DUTY

Li-ion



Technical Specifications

HSN code	84672100
Part no.	06019G9082
Battery voltage	12V
No-load speed	0-420 / 0-1,600 rpm
Torque, max. (hard/soft)	30/18Nm
Max. screw diameter	8mm
Max. drilling (wood/steel)	20/10mm

Scope of supply:
Cardboard Box,
*Battery and charger not included

MRP: ₹10,475




DRILL DRIVER

GSR 12V-35 HX (Solo) Professional



HEAVY DUTY

Li-ion



Technical Specifications

HSN code	84672100
Part no.	06019J9180
Battery voltage	12V
No-load speed (1st/2nd)	0-460 / 0-1,750 rpm
Torque (soft/hard)	20/35/- Nm
Max. screw diameter	8mm
Max. drilling (wood/steel)	32/10 mm
Chuck capacity, min./max.	0.8/10 mm
Weight excl. battery	0.57 kg

Scope of supply:
Cardboard Box,
*Battery and charger not included

MRP: ₹11,925



DRILL DRIVER

GSR 12V-15 FC Professional



*Product available till stocks last

HEAVY DUTY

Li-ion



Technical Specifications

HSN code	84672100
Part no.	06019F60F0
Battery voltage	12V
No-load speed (1st/2nd)	0 - 400 / 0 - 1,300 rpm
Torque (hard/soft)	30/15 Nm
Max. screw diameter	7mm
Max. drilling (wood/steel)	19/10mm
Chuck size	10 mm

Scope of supply:
Drill chuck adapter GFA 12-B,
Off-set angle adapter GFA 12-E,
Angle adapter GFA 12-W,
Hex adapter, 1 Charger,
2 x 2.0 Ah Li-ion batteries,
Carry case

MRP: ₹27,025



DRILL DRIVER

GSR 180-Li Professional



*Product available till stocks last

BOSCH Professional

Li-ion



Technical Specifications

HSN code	84672100
Part no.	06019F81F0
Battery voltage	18V
No-load speed (1st/2nd)	0-450 / 0-1,700 rpm
Torque (hard/soft)	54 / 21Nm
Max. screw diameter	10mm
Max. drilling (wood/steel)	35/10mm
Chuck size	13 mm

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹18,650



1

CORDLESS

DRILL DRIVER**New! GSR 185-Li Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019K30F0
Battery voltage	18V
Head length	162 mm
No-load speed	0-500 / 1,900 rpm
Max. torque (hard / soft)	50/21Nm
Chuck Size	13 mm
Max. drilling (wood/metal)	35 / 10mm
Weight (w/2.0Ah)	1.3 kg

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹16,875**DRILL DRIVERS****GSR 18V-50 (Solo) Professional****Technical Specifications**

HSN code	84672100
Part no.	06019H5082
Battery Voltage	18V
No-load speed (1st gear / 2nd gear)	0-460 / 0-1,800 rpm
Torque (soft/hard/max.)	28/50/50 Nm
Chuck Size	13 mm
Max. drilling (alum/wood/steel)	13 / 35 / 13 mm
Weight excl. battery	1kg

Scope of supply:
Cardboard box,
*Battery and charger
not included

MRP: ₹14,300**DRILL DRIVER****GSR 18V-50 Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019H50F0
Battery voltage	18V
No-load speed	0-460 / 0-1,800 rpm
Torque, max. (hard/soft)	50/28Nm
Max. drilling (wood/steel)	35 / 13mm
Max. screw diameter	10 mm

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah Li-ion batteries

MRP: ₹27,025**IMPACT DRILL DRIVER****GSB 120-Li Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019G81F2
Battery voltage	12V
No-load speed (1st/2nd)	0-400 / 0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Impact rate	0 - 18750 bpm
Max. drilling (wood/steel/masonry)	20 / 10 / 8mm
Weight with battery	1.1 kg

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah Li-ion batteries,
Accessory set: 4 Wood drill bits,
4 Metal drill bits, 4 Masonry drill
bits, 10 Screw driver bits,
1 Screw bit holder

MRP: ₹13,075



BITURBO
BRUSHLESS

IMPACT DRILL DRIVERS

GSB 180-Li Professional



Technical Specifications

HSN code	84672100
Part no.	06019F83F0
Battery voltage	18V
No-load speed (1st/2nd)	0-450 / 0-1,700 rpm
Torque (hard/soft)	54 / 21Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel/masonry)	35 / 10 / 8mm
Chuck size	13 mm

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹19,650



IMPACT DRILL DRIVERS

New! GSB 185-Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K31F2
Battery voltage	18V
No-load speed (1st/2nd)	0-500 / 0-1,900 rpm
Weight (w/2.0Ah)	1.3kg
Max. screw diameter	10 mm
Max. drilling (wood/metal/masonry)	35 / 10 / 10 mm
Chuck material	Metal

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case, 23-piece
drilling and screwdriving bit
set with holder

MRP: ₹18,900



DRILL DRIVERS

New! GSB 18V-150 C (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019J51L0
Battery voltage	18V
Torque (soft/hard/max.)	84/100/150 Nm
No-load speed (1st / 2nd gear)	0-550 / 0-2,200 rpm
Max. impact rate	30,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	2.2 kg
Max drilling (wood/metal/masonry)	150 / 16 / 20 mm

Chuck material: Metal
Scope of supply:
Carry case
*Battery and charger not included

MRP: ₹29,500



IMPACT WRENCH

GDR 120-Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019F00F0
Battery voltage	12V
No-load speed (1st/2nd)	0 -1,300 / 0-2,600 rpm
Torque (hard)	100 Nm
Max. screw diameter	8mm
Rated impact rate	0 -1,900 / 0-3,200 bpm
Bit holder	1/4" hexagon socket

Scope of supply:
2x20 Ah Li-ion batteries,
1 Charger, 1 Carry case

MRP: ₹16,550



IMPACT WRENCH

GDR 12 V-EC Professional

1

CORDLESS



Technical Specifications

HSN code	84672100
Part no.	06019E00F6
Battery voltage	12V
No-load speed	2,600 rpm
Torque (hard)	110 Nm
Max. screw diameter	M4-M12
Rated impact rate	0 - 3,100 bpm
Bit holder	1/4" internal hexagon

Scope of supply:
Carry case, 2 x 2.0 Ah Li-ion
batteries, 1 Charger

MRP: ₹27,375



IMPACT WRENCH

New! GDR 180-Li Professional



Technical Specifications

HSN code	84672100
Part no.	06019G51F0
Battery voltage	18V
No-load speed	0 - 2,800 rpm
Impact rate	0 - 3,600 bpm
Max. torque	160 Nm
Tool holder	1/4" Hex Uni
Screw diameter	M6-M14
Weight excl. battery	1.1 kg

Scope of supply:
2x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹29,125



IMPACT WRENCH

GDX 18V-200 C Professional



Technical Specifications

HSN code	84672900
Part no.	06019G42F0
Battery voltage	18V
Torque max.	200 Nm
No-load speed	0 - 3,400 rpm
Screw Diameter	M6 - M16
Bit holder	1/4" internal hexagon & 1/2" external square
Weight excl. battery	1.1 kg

Scope of supply:
Carry case, L-BOXX 136 with
2x battery, GBA 18V 4.0Ah,
1 quick charger

MRP: ₹39,325



IMPACT WRENCH

GDS 18V-200 Professional



Technical Specifications

HSN code	84672100
Part no.	06019J23F0
Battery voltage	18V
Square drive	1/2 inch
No-load speed	0 - 3,400 rpm
Impact rate	0 - 4,200 bpm
Max. torque	200 Nm
Screw diameter	M6-M16
Weight excl. battery	1.1 kg

Scope of supply:
2x 4.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹34,200




IMPACT WRENCH

GDS 250-Li Professional



Technical Specifications

HSN code	84672900
Part no.	06019G61F0
Battery voltage	18V
Max. torque	250 Nm
No-load speed	0 - 2,400 rpm
Impact rate	0 - 3,300 bpm
Tool holder	1/2 Square
Screw size	M10 ~ M18
Weight excl. battery	1.2 kg
Scope of supply: 2 x 4.0 Ah Li-ion batteries, 1 Charger, Carry case	
MRP: ₹34,425	



IMPACT WRENCH

GDS 18V-400 (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00K1
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5.0Ah)	1.85 kg
Scope of supply: *Battery and charger not included, Carry case	
MRP: ₹18,750	



IMPACT WRENCH

GDS 18V-400 Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00F0
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5.0Ah)	1.85 kg
Scope of supply: Carry case, 1 Charger, 2 x 5.0 Ah Li-ion batteries	
MRP: ₹47,150	



IMPACT WRENCH

GDS 18V-1050 H Professional



Technical Specifications

HSN code	84672100
Part no.	06019J85F0
Battery voltage	18 V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0.350 / 750 / 1050
Bolt diameter	M10 - M24
Weight (w/o battery)	2.9 kg
Scope of supply: 1 Charger, 2 x 5.0 Ah Li-ion batteries, L-BOXX 136	
MRP: ₹63,650	



ROTARY HAMMER 1-2 KG

GBH 180-Li Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06119111F0
Battery voltage	18 V
Impact force	2.0 J
Drilling capacity	20 mm
No-load speed	0 - 1,800 rpm
Impact rate	0 - 4,550 bpm
Brushless motor	Yes
Max. drilling diameter in concrete	4 - 20 mm
Max. drilling diameter in wood	30 mm
Max. drilling in metal	13 mm
Weight (bare tool)	2.4 kg

Scope of supply:

1 Charger and Carry case

MRP: ₹42,050



ROTARY HAMMER 1-2 KG

New Launch! GBH 185-Li Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06119240F0
Battery voltage	18 V
Impact energy	1.9 J
No-load speed	0 - 1,050 rpm
Impact rate	0 - 4,675
Max. drilling diameter in concrete	04 - 22 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in wood	20 mm
Bare tool weight with aux. handle	2.3 kg
Recommended battery	GBA 18V 4.0 Ah

MRP: ₹42,350



ROTARY HAMMER 4 KG

GBH 18V-34 CF (Solo) Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	0611914082
Battery voltage	18V
Max. impact energy	5.8 J
Rated speed	0 - 500 rpm
Impact rate at rated speed	0 - 2,900 bpm
Max. drilling diameter in metal	13mm
Max. drilling diameter in wood	40 mm
Max drilling diameter in concrete	34mm
Weight excluding battery	4.9 kg

Scope of supply:

*Battery & charger not included, MRP: ₹80,325
Carry case



ROTARY TOOL

New Launch! GRO 12V-35 (Solo) Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06019C50K1
Battery voltage	12V
No-load speed	5,000 / 35,000 rpm
Weight	600 g
Dimensions L x W x H	44 x 36 x 11.5 cm


Scope of supply:

5x cutting disc, 32 mm, Arbour, Housing adapter
Key, Collet, 1/2 L-BOXX inlay for tool

Cardboard box.

*Battery and charger not included

MRP: ₹8,300



1

CORDLESS

SMALL ANGLE GRINDER

GWS 18V-10 (100 mm) Kit Professional

HEAVY
DUTYLi-ion
technology

BeConnected



Technical Specifications

HSN code	84672900
Part no.	06019J40F0
Battery voltage	18V
Grinding spindle thread	M10
No-load speed	9,000 rpm
Weight w/o battery	2.0 kg
Disc. diameter	100 mm

Scope of supply:

2 x 5.0 Ah Li-ion Batteries, 1 Charger, Handle
Keyless Protection guard
Clamping unit, Carry case

MRP: ₹45,450



SMALL ANGLE GRINDER

GWS 180 -Li (100 mm) Kit Professional

BOSCH
ProfessionalLi-ion
technology

BeConnected



Technical Specifications

HSN code	84672900
Part no.	06019H90F0
Battery voltage	18V
No-load speed	(15t/2") 11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

Scope of supply:

Standard auxiliary handle, Keyless Protection guard,
Clamping nut, Back flange, Tom hole spanner,
2 x 4.0 Ah Li-ion Batteries,
GAL 18V-40 charger x 1,
Carry case

MRP: ₹37,625



SMALL ANGLE GRINDER

GWS 180 -Li (Solo) (100 mm) Professional

BOSCH
ProfessionalLi-ion
technology

BeConnected



Technical Specifications

HSN code	84672900
Part no.	06019H90K0
Battery voltage	18V
No-load speed (1st/2nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

Scope of supply:

*Battery and charger not
included, Cardboard Box

MRP: ₹15,950



SMALL ANGLE GRINDER

New! GWX 180 -Li (Solo) (125 mm) Professional

BOSCH
ProfessionalLi-ion
technology

BeConnected

XLOCK



Technical Specifications

HSN code	84672900
Part no.	06019H91K0
Battery voltage	18 V
No-load speed	11,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.0 kg

Scope of supply:

*Battery and charger not
included, Cardboard box

MRP: ₹17,850



SMALL ANGLE GRINDER

GWS 18V-10 (125 mm) (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06019J4002
Battery voltage	18 V
No-load speed	9,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.1 kg

Scope of supply:
Cardboard box,
*Battery and charger not
included

MRP: ₹20,800



HEAVY
DUTY

Li-ion
technology



BeConnected
MOTOR



1

CORDLESS

Improved pruning efficiency, with the pull of a trigger!



Sharp and durable blades which always cut cleanly



Easy and safe to use with double safety switch



4500 cuts from just 1 hour of fast charging



Portable and lightweight for continuous use



BLOWER

GBL 18V-120 (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84145920
Part no.	06019F51L0
Battery voltage	18 V
Max. air speed	75 m/s
Max. airflow	120 m ³ /h
No-load speed	17,000 rpm
Weight excluding battery	1.1 kg

Scope of supply:

4x Accessories (Nozzle, Extension tube, Deep hole nozzle, Dust collection tube)

*Battery and charger not included

MRP: ₹9,450



CUTTING

New! Pro Pruner Professional



Technical Specifications

HSN code	84672900
Part no.	06019K10F1
Rated voltage	12V
Battery capacity*	2.0 Ah
Max. cutting diameter	25 mm
No. of cuts per charge**	4500
Weight with 12V/2.0Ah battery	1 kg
Weight w/o battery	0.8 Kg

Scope of supply:

1x 12V 2.0 Ah Li-ion battery, 1 Charger

MRP: ₹22,875



CUTTING

GKS 185 Li (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06016C12L1
Voltage	18V
Blade size / bore size	165/20 mm
No-load speed	5,000 rpm
Cutting depth, 90°/ 45°	57/41mm
Weight w/o battery	2.8 kg
Bevel capacity max.	50°

Scope of supply:

1x circular saw blade 165x 1.5/1.0x 20 mm, 1x parallel guide

MRP: ₹18,950



CIRCULAR SAWS

GKS 18V-57 (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06016A22L0
Battery voltage	18 V
No-load speed	3,400 rpm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Max. cutting capacity in wood (90°)	57 mm
Max. cutting capacity in wood (45°)	39 mm

Scope of supply:

1x circular saw blade, Optiline wood,

*Battery charger not included

MRP: ₹23,400



Till Stocks Last

1

CORDLESS

RIVET GUN**New! GRG 18V-16 C (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06019K5080
Battery voltage	18 V
Motor	Brushless
Pulling force	16,000 N
Stroke length	25 mm
Rivet diameter	3.0 - 6.4 mm
Weight excl. battery	1.6 kg

Scope of supply:
4 pcs Nose piece
12mm Wrench, Belt clip,
HMI Connectivity

MRP: ₹75,075**ALL PURPOSE / RECIPSAW****GSA 18V-Li Compact (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06016A5080
Battery voltage	18 V
Cutting depth in wood	200 mm
Stroke lengths	21 mm
Cutting depth in metal profiles and metal pipes	100mm
Stroke rate (1 st gear / 2 nd gear)	0 - 3,050 spm

Scope of supply:
*Battery and charger not included
Cardboard box, Inlay for L-BOXX 136,
1 x reciprocating saw blade S 922 AF,
1 x reciprocating saw blade S 922 EF,
1 x reciprocating saw blade S 922 HF

MRP: ₹27,150**ALL PURPOSE / RECIPSAW****GSA 18V-32 (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06016A8108
Cutting depth in wood	230 mm
Stroke lengths	32 mm
Cutting depth in metal profiles and metal pipes	175 mm
Stroke rate (1st gear / 2nd gear)	0 - 2,500 spm
Weight excl. battery	3.5 kg

Scope of supply:
*Battery and charger not included
Cardboard box,
1 x reciprocating saw blade S 1110 VF

MRP: ₹62,475**ALL PURPOSE / RECIPSAW****Launching Soon! GSA 185-LI Professional****Technical Specifications**

HSN code	84672200
Part no.	06016C00L0
Voltage	18 V
No-load stroke rate	0 - 2,900 min ⁻¹
Stroke length	28 mm
Dimensions (LxWxH)	450 x 96 x 170
Weight w/o battery	3.2 kg
Cutting depth (wood)	230 mm

MRP*

RANDOM ORBIT SANDER

GEX 185-Li (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06013A5080
Battery voltage	18 V
No-load speed	6,000 - 10,000
Sanding sheet diameter	125 mm
Height	135 mm
Sanding stroke	2.5 mm
Vibration	2.2 m/s ²

Scope of supply:

1x Dust Bag,
*Battery charger not included

MRP: ₹10,050



SCREWDRIVER

GTB 185-Li (Solo) Professional

Technical Specifications

HSN code	84672900
Part no.	06019K70L1
Battery voltage	18 V
No-load speed	0 - 4,500
Soft torque	5.2 Nm
Weight (w/o batt w/2.0Ah batt)	0.95 1.3 kg
Dimension (L/W/H)	261/56/222

Scope of supply:

Cardboard box
1x screwdriver bit PH 2,
1x belt clip, 1x bit holder,
*Battery charger not included

MRP: ₹13,700



JIGSAW

GST 185-Li (Solo) Professional

Technical Specifications

HSN code	84672900
Part no.	06015B30L3
Battery voltage	18 V
Stroke length	26 mm
Cutting depth	125 mm
Bladeholder	SDS
LED	Yes
Weight (w/4.0 Ah battery)	2.6 kg
Chuck Size	13 mm

Scope of supply:

1x jigsaw blade T 144 D,
Speed for Wood,
*Battery charger not included

MRP: ₹14,975



VACUUM CLEANER

GAS 18V-1 (Solo) Professional

Technical Specifications

HSN code	84672900
Part no.	06019C62L0
Battery voltage	18 V
Weight excl. battery	1.3 kg
Container volume	0.7 l
Filter surface area	55 cm ²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure (turbine)	60 mbar

Scope of supply:

1x Floor nozzle, 1x Flexible extension tube,
1x Crevice nozzle and
2x Suction tubes,
*Battery charger not included

MRP: ₹9,525



BATTERY / CHARGERS



BATTERY**GBA 12V 2.0 Ah Professional****2****Technical Specifications**

HSN code	85076000
Part no.	1600A00F6X
Battery voltage	12V
Battery capacity	2.0 Ah°
Weight	175g

Suitable for

- 10.8V
 - 12.0V
- Bosch cordless tools range
(Tubular battery version)

MRP: ₹3,775**BATTERY****GBA 18V 2.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A001CG
Battery voltage	18V
Battery capacity	2.0 Ah
Weight	300 g

Suitable for

- All 18 V
- Bosch cordless tools range

MRP: ₹6,075**BATTERY****GBA 18V 4.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A00163
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	600 g

Suitable for

- All 18 V
- Bosch cordless tools range

MRP: ₹9,175**BATTERY****New! ProCORE 18V 4.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A0193L
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	515 g

Suitable for

-

MRP: ₹11,475**BATTERY****New! ProCORE 18V 8.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A0193N
Battery voltage	18 V
Battery capacity	8.0 Ah
Weight	955 g

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹21,300**BATTERIES /
CHARGERS**

CHARGER

GAL 12V-20 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A021L7
Charge current	2A
Charging time min.	24 min
Input voltage	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,275

Suitable for charging of

10.8 V

12.0 V

Bosch tubular batteries

CHARGER

GAL 12V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V0
Charge current	4A
Charging time min.	24 min
Input voltage	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,450

Suitable for charging of

• 10.8 V

• 12.0 V

Bosch tubular batteries

CHARGER

GAL 18V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V1
Battery charging voltage	14.4-18V
Charge current	4A
Charging time min.	36 min
Model	Li-Ion quick charger
Weight, approx.	5.50g

MRP: ₹4,425

Suitable for charging of

• 14.4 V

• 18.0 V

STARTER KITS

GAL 12V-40 + 2x GBA 12V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V3
Battery 1 capacity	2.0 Ah
Battery voltage	12V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12V
Charge current	4 A
Charge time at bat. cap.	24/35 min
2.0 Ah(80%/100%)approx.	
Charger weight	0.45 kg

MRP: ₹9,625

Suitable for charging of

• 12.0 V

Bosch tubular batteries

STARTER KITS

GAL 18V-40 + 2x GBA 18V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V4
Battery 1 capacity	2.0 Ah
Battery voltage	18 V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4- 18V
Charge current	4A
Charge time at bat. cap.	24/35 min
2.0 Ah (80%/100%) approx.	
Charger weight	0.55 kg

MRP: ₹16,125

Suitable for charging of

• 18.0 V

STARTER KITS

GAL 18V-40 + 2x GBA 18V 4.0Ah Professional

2



Technical Specifications

HSN code	85076000
Part no.	1600A022V2
Battery 1 capacity	4.0 Ah
Battery voltage	18 V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4-18 V
Charge current	4A
Charge time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

Suitable for charging of

- 18.0 V

MRP: ₹22,250

**BATTERIES /
CHARGERS**

Pro CORE 18V MAXIMUM PERFORMANCE AND RUNTIME WITH FLEXIBLE POWER SYSTEM

Available in THREE CLASSES

COMPACT



PERFORMANCE



ENDURANCE



FLEXIBLE POWER SYSTEM:
100% COMPATIBLE
WITH ALL BOSCH PROFESSIONAL 18 V TOOLS

87%

More Power

30%

Faster Material Removal

BOSCH HAMMER



DEMOLITION HAMMER> 5 KG

New! GSH 500 Hex Professional

3




Technical Specifications

HSN code	84672100
Part no.	06113386F1
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	17 Hex mm
Side handle	Straight handle
Weight	5.5 kg

Scope of supply:
Auxiliary handle,
2 Chisel, Carry case

MRP: ₹27,025



DEMOLITION HAMMER> 5 KG

GSH 500 MAX Professional



Technical Specifications

HSN code	84672100
Part no.	06113387F0
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	SDS MAX
Side handle	Straight handle
Weight	5.7 kg

Scope of supply:
Auxiliary handle,
1 Chisel, Carry case

MRP: ₹34,325



DEMOLITION HAMMER> 5 KG

GSH 5 Professional



HEAVY DUTY




Technical Specifications

HSN code	84672100
Part no.	06113370F0
Rated power input	1,100 W
Impact energy	7.5 J
Rated speed	2,850 bpm
Weight without cable	5.6 kg

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel, Carry case,
Cleaning cloth, Grease tube,
Straight handle

MRP: ₹47,150



DEMOLITION HAMMER< 11 KG

New! GSH 11 E Promo Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113168F2
Power input	1,500 W
Impact rate	900 - 1,890 bpm
Impact energy	16.8 J
Weight	10.1 kg

Scope of supply:
Auxiliary handle, Carry case,
Grease tube, 2 Nos R-Tech pointed chisel,
R-Tech Flat Chisel

MRP: ₹60,100



DEMOLITION
HAMMERS

DEMOLITION HAMMER > 11 KG

GSH 11 VC Professional



Technical Specifications

HSN code	84672100
Part no.	06113360F0
Power input	1,700 W
Impact energy	23 J
Impact rate at rated speed	900 - 1,700 bpm
Weight without cable	11.4 kg

Scope of supply:
Auxiliary handle, carrying case,
Grease tube, machine cloth,
Pointed chisel

MRP: ₹105,100



DEMOLITION HAMMER > 14 KG

New Launch! GSH 14 C Professional



Technical Specifications

HSN code	84672100
Part no.	06113440F0
Power input	1,750 W
Impact rated at rated speed	1,900 Bpm
Impact energy (EPTA)	28 J
Width x length x height	140 x 750 x 280
Weight	14.6 kg

MRP: ₹99,500



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



Technical Specifications

HSN code	84672100
Part no.	06113351F0
Power input	1,750 W
Impact rate	1,300 Bpm
Impact energy	41 J
Weight	16.5 Kg

Scope of supply:
Carrying handle, Trolley,
Grease tube, Machine cloth,
Pointed chisel

MRP: ₹147,325



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



Technical Specifications

HSN code	84672100
Part no.	061130A0F0
Rated power input	2,000 W
Impact energy	62 J
Impact rate at rated speed	1,000 bpm
Weight	29.5 Kg

Scope of supply:
Paper box,
Pastic bags

MRP: ₹292,300





ROTARY HAMMER

ROTARY
HAMMERS



ROTARY HAMMER 1-2 KG

GBH 220 Professional

4



Technical Specifications

HSN code	84672100
Part no.	06112A60F0
Rated input power	720 W
Impact energy	2J
Impact rate at rated speed	0 - 4,800 bpm
Drilling diameter concrete, hammer drill bits	4-22mm
Max. drilling diameter in (metal/wood/concrete)	13/30/22 mm
Tool holder	SDS Plus
Scope Of Supply:	
Carrying Case	MRP: ₹10,625



ROTARY HAMMER 1-2 KG

GBH 2-24 DRE Professional



Technical Specifications

HSN code	84672100
Part no.	06112721F1
Power input	790 W
Impact energy	2.7 J
Drilling capacity	24 mm
No-load speed	1,300 rpm
Impact rate	4,200 bpm
Weight	2.8 kg

Scope of supply:
Carry case

MRP: ₹16,450



ROTARY HAMMER 1-2 KG

GBH 2-26 RE Professional



Technical Specifications

HSN code	84672100
Part no.	0611251755
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0-3J
Weight	2.7 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Carry case

MRP: ₹20,200



ROTARY HAMMER 1-2 KG

GBH 2-26 DRE + DRILL CHUCK Professional



Technical Specifications

HSN code	84672100
Part no.	06112537F0
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	2.7 J
Weight	2.7 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Carry case

MRP: ₹21,850



ROTARY
HAMMERS

ROTARY HAMMER 1-2 KG

GBH 2-28 DV Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications

HSN code	84672100
Part no.	06112671F0
Drilling diameter in concrete	4-28 mm
Drilling diameter in steel	13mm
Drilling diameter in wood	30mm
Core diameter masonry	68 mm
Rated power input	850 W
No-load speed	0 - 1,300 rpm
Impact rate at rated speed	0- 5,100 bpm
Impact energy	0-3.2J
Weight	2.9 kg

Scope of supply:

Auxiliary handle, Depth gauge,

Carry case

MRP: ₹24,600



ROTARY HAMMER 4 KG

GBH 4-32 DFR Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications

HSN code	84672100
Part no.	06113321F0
Drilling diameter in concrete	6 - 32 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	32mm
Power input	900 W
No-load speed	0 - 800 rpm
Impact rate	0 - 3,600 bpm
Impact energy	4.2 J
Weight	4.7 kg

Scope of supply:

Auxiliary handle, Carry case,

Depth stop,

SDS-plus quick-change chuck

MRP: ₹47,550



ROTARY HAMMER 5 KG AND MORE

GBH 5-40 D Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications


HSN code	84672100
Part no.	06112690F0
Drilling diameter in concrete	12 -40 mm
Rated power input	1,100 W
Impact energy	8.5 J
Impact rate at rated speed	1,500 - 2,900 bpm
Rated speed	170 - 340 rom
No-load Speed	0 - 760 rpm
Weight	6.8 kg

Scope of supply:

Carrying cases, Cleaning cloth,

Grease tube, Auxiliary handle

MRP: ₹62,200



ROTARY HAMMER 8 KG

GBH 8-45 DV Professional

4



Technical Specifications

HSN code	84672100
Part no.	06112650F0
Rated power input	1,500 W
Impact energy	12.5 J
Impact rate at rated speed	1,380-2,760 bpm
Rated speed	0 - 305 rpm
Drilling diameter concrete, Hammer drill bits	12-45 mm
Optimum range of applications in concrete with hammer drill bits	20-40 mm
Drilling diameter in concrete with breakthrough drill bits	80 mm
Weight without cable	8.9 KG



Scope of supply:
Grease tube, Cleaning cloth
Carrying case

MRP: ₹112,700



ROTARY HAMMER 12 KG

GBH 12-52 DV Professional



Technical Specifications

HSN code	84672100
Part No.	06112660F0
Input Power	1,700 W
Max. Impact Energy	19 J
Impact Rate At Rated Speed	1,750 - 2,150 bpm
Rated Speed	0 - 220 rpm
Drilling diameter in concrete With hammer drill bits	12 - 52mm
Weight	11.9 Kg



Scope of supply:
Carrying case, Grease tube,
Machine cloth,
Auxiliary handle


MRP: ₹134,750



ROTARY HAMMERS

DIAMOND/STONE CUTTER

DIAMOND
TECHNOLOGY



DIAMOND/STONE CUTTER

GDC 120 Professional

5



Technical Specifications

HSN Code	84672900
Part No.	06013930F1
Rated Power Input	1,200 W
No-load Speed	12,000 rpm
Tool Blade	4 Inch
Cutting Depth (At 90°)	34 Mm
Cord Length	1.5m
Net Weight	2.5 Kg

MRP: ₹6,075



DIAMOND/STONE CUTTER

GDC 141 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A41F0
Rated Power Input	1,450 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	125mm
Max. Cutting Depth	40 mm
Weight	3 Kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box


MRP: ₹7,250



DIAMOND
TECHNOLOGY

ANGLE GRINDERS

ANGLE GRINDERS



SMALL ANGLE GRINDER 4"

GWS 600 Professional

6



Technical Specifications

HSN code	84672900
Part no.	060137505F
Power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M10
Disc diameter	100 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹4,000



SMALL ANGLE GRINDER 4"

New! GWS 800 Professional



Back Switch

Technical Specifications

HSN code	84672900
Part no.	06013943F0
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.6 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,

MRP: ₹5,250



SMALL ANGLE GRINDER 4"

GWS 750-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013940F0
Power input	750 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,425



HEAVY DUTY



SMALL ANGLE GRINDER 4"

GWS 900-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013960F0
Rated power input	900 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.8 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹6,625



HEAVY DUTY



ANGLE GRINDERS

SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

HSN code	84672900
Part no.	060137515A
Rated power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	1.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,875



SMALL ANGLE GRINDER 5"

GWS 900-125 S Professional



HEAVY DUTY




Technical Specifications

HSN code	84672900
Part no.	06013961F2
Rated input power	900 W
No-load speed	2,800 - 11,000 rpm
Disc diameter	125 mm
Grinding spindle thread	M 14
Weight	1.9 kg

Scope of supply:
Wrench,
Protective guard,
Auxiliary handle

MRP: ₹8,625




SMALL ANGLE GRINDER 5"

New! GWS 12-125 S Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06013A60F0
Rated input power	1,200 W
No-load speed	2,800 - 11,000 rpm
Grinding spindle thread	M 14
Weight	1.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹9,725



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06018242F1
Power input	1,400 W
No-load speed	11,000 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹12,475



SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional

6



Technical Specifications

HSN code	84672900
Part no.	06017A30F1
Power input	1,800 W
No-load speed	11,500 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹19,375



ANGLE GRINDER with X-LOCK

GWX 17-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06017C40F2
Power input	1,700 W
No-load speed	2,800 - 11,500 rpm
Disc diameter	125 mm
Wire cup brush, diameter	75 mm
Weight	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹22,200



LARGE ANGLE GRINDER 7"

GWS 2200-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C00F0
Rated power input	2,200 W
No-Load speed	8,500 rpm
Grinding spindle	M14
Disc diameter	180 mm
Weight	5.5 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹13,375



LARGE ANGLE GRINDER 7"

New! GWS 24-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C20F0
Power input	2,400 W
No-load speed	8,500 rpm
Grinding spindle thread	M 14
Disc diameter	180 mm
Weight without cable	4.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹19,000



ANGLE GRINDERS

CYCLON TECH



RESTART PROTECTION

Prevents accidental restarts

OVERLOAD PROTECTION

Prevents motor burnout
Under extended overload conditions

LARGE ANGLE GRINDER 7"

New! GWS 24-180 JZ Professional


6



Technical Specifications

HSN code	84672900
Part no.	06018C23F0
Power input	2,400 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.8 kg
Scope of supply:	
	Two-hole spanner, Backing flange,
	Locking nut, Cardboard box,
	Protective cover,
	Auxiliary handle

MRP: ₹19,500



LARGE ANGLE GRINDER 7"

New! GWS 30-180 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G00F0
Power input	2,800 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.7 kg
Scope of supply:	
	Two-hole spanner, Backing flange,
	Locking nut, Cardboard box,
	Protective cover,
	Auxiliary handle

MRP: ₹37,400



LARGE ANGLE GRINDER 9"

GWS 2200-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C10F0
Rated power input	2,200 W
No-Load speed	6,500 rpm
Grinding spindle	M14
Disc diameter	230 mm
Weight	5.5 kg
Scope of supply:	
	Auxiliary handle, Guard,
	Round nut, Pin spanner,
	Clamping flange

MRP: ₹14,575



LARGE ANGLE GRINDER 7"

New! GWS 30-230 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G10F0
Power input	2,800 W
No-load speed	6,500 rpm
Grinding spindle thread	M 14
Disc diameter	230 mm
Weight without cable	5.9 kg
Scope of supply:	
	Auxiliary Handle, Guard,
	Round nut, Pin Spanner,
	Clamping Flange

MRP: ₹40,300



ANGLE GRINDERS

LARGE ANGLE GRINDER 7"

New! GWS 24-230 H Professional



Technical Specifications

HSN code	84672900
Part no.	06018C30F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M 14
Disc diameter	230 mm
Weight without cable	6 kg
Scope of supply: Auxiliary Handle, Guard, Round nut, Pin Spanner, Clamping Flange	



BeConnected



MRP: ₹20,800



LARGE ANGLE GRINDER 9"

New! GWS 24-230 JZ Professional



Technical Specifications

HSN code	84672900
Part no.	06018C33F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight	6 KG
Scope of supply: Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle	




BeConnected



MRP: ₹21,300





SPECIALITY TOOLS



AAC BLOCK CUTTER

New! GAC 250 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN Code	84672200
Part No.	06012B60F0
Power Input	1,200 W
No-load chain speed	max. 12 m/s
Chain bar length	335 mm
Max. cutting capacity	250 mm
Tool weight	4.7 kg

Scope of supply:
Carton box
1x Guide rail, 1x Saw chain,
1x Sprocket wheel,
Protective cover

MRP: ₹21,250



BLOWER

GBL 620 Professional



Technical Specifications

HSN Code	84145920
Part No.	06019805f0
Power Input	620 W
No-load Speed	16,000rpm
Volumetric Flow Rate	3.5 m³/min
Standard Accessories	1 Nozzle
Weight Without Cable	1.7 kg

Scope of supply:
1x Nozzle

MRP: ₹4,775



BLOWER

GBL 82-270 Professional



**HEAVY
DUTY**



Technical Specifications

HSN code	85081100
Part no.	06019804F5
Input power	820 W
No-load Speed	16,000 Rpm
Flow Rate	4.5 M³/min
Weight	2.25 Kg

Scope of supply:
50 mm nozzle,
Extension nozzle, borehole
nozzle, Dust bag

MRP: ₹7,625



HEAT GUN

GHG 180 Professional



Technical Specifications

HSN code	84672900
Part no.	060194D0F0
Power input	1,800 W
Max. temperature	60 / 350 / 550° C
Air flow rate	350 / 350 / 550 lpm
Over-heat Protection	Yes
Weight	0.75 kg

scope of supply:
Reducing nozzle

MRP: ₹4,100



HEAT GUN

GHG 20-63 Professional



Technical Specifications

HSN code	84672900
Part no.	06012A62F0
Power input	2,000 W
Temperature range	50-630°C
Adjustable temperature	Yes
Steps	
Air flow rate	150 - 500 litre/min
Durability	600 h
Weight	0.65 kg

Scope of supply:
Glass Protection Nozzle,
Surface nozzle, welding glove,
Reduction nozzle,
Reflection nozzle.

MRP: ₹11,600



HEAT GUN

GHG 20-60 Professional



Technical Specifications

HSN code	84672900
Part no.	06012A64F0
Power input	2,000 W
Temperature max.	50-630°C
Adjustable temp steps	Yes
Air flow rate	~150 / 500 litre/min
Infinitely variable airflow control	No
Durability	500-750 h
Weight	0.55 kg

Scope of supply:
Glass protection nozzle

MRP: ₹13,125



METAL SURFACE FINISH

GPO 950 Professional



Technical Specifications

HSN code	84672900
Part no.	06013A20F0
Power	950 W
Variable speed	600 - 2,100 rpm
Grinding spindle thread	M14
Stick pad diameter	ø165 mm
Max. accessory diameter	180mm
Weight	2.3 kg

Scope of supply:
Sponge pad, Stick pad
M14 & M16 adapter, Wrench,
Auxiliary handle, Auxiliary plate

MRP: ₹12,375



METAL SURFACE FINISH

GPO 12 CE (Promo) Professional



Technical Specifications

HSN code	84672900
Part no.	06013890F1
No-load speed	750 - 3,000 rpm
Grinding spindle thread	M14
Rubber sanding plate	180 mm
Power input	1,250 W
Weight	2.5 kg

Scope of supply:
M14/M16 adapter,
Auxiliary handle, Spacer disc,
Auxiliary D-handle,
Wrench, Polishing pads

MRP: ₹19,750



RECIPSAW

GSA 120 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN code	84672200
Part no.	06016B10F0
Power input	1,200 W
Stroke rate	0 - 3,000 per min.
Stroke length	29 mm
Blade change	SDS
Max. cutting depth in wood	220 mm
Max. cutting depth in metal	20 mm
Weight	3.7 kg

Scope of supply:
1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹19,650



RECIPSAW

GSA 1300 PCE Professional



Technical Specifications

HSN code	84672200
Part no.	060164E2F0
Power input	1,300 W
Stroke rate at no load	0 - 2,900 spm
Stroke length	28 mm
Cutting depth in wood	220 mm
Cutting depth in metal	20 mm
Cutting depth in metal profiles and metal pipes	175 mm
Weight	1.1 kg

Scope of supply:

Carrying case,
1 x reciprocating saw blade S 2345 X,
1 x reciprocating saw blade S 123 XF

MRP: ₹26,375



DRYWALL SANDER

New! GTR 550 Professional



Technical Specifications

HSN code	84672900
4 Part no.	06017D40F0
Power input	550 W
No-load speed	340 - 910 rpm
Sanding pad diameter	215 mm
Sanding sheet diameter	225 mm
Weight	4.8 kg

Scope of supply:

Carry case, 1 x soft pad set,
1 x sanding sheet,
3 x cable clip

MRP: ₹38,450



VACUUM CLEANER

GAS 15 PS Professional



Technical Specifications

HSN code	85081100
Part no.	06019E51F0
Power input	1,100 W
Container (gross/net)	15/8L
Max. airflow	53 L/Sec
Max. vacuum pressure	270 mbar
Weight	6 kg

*Tool Socket for connecting Power Tools.

Scope of supply:

Crevice nozzle, Carton box,
3m anti-static hose, Elbow,
Tubes (2pcs), Plastic bags,
Floor nozzle set

MRP: ₹22,050



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	060197COF0
Power input	1,250 W
Vacuum pressure	200 mbar
Air Flow	63 L/Sec
Dust tank capacity gross	25L
Tank capacity net dry/wet	21/16L
Main filter class	H13 HEPA
Scope of supply:	
	3M Hose, Elbow, Crevice nozzle,
	Floor nozzle set, Adapter,
	Tubes (2 pcs),
	Plastic bags (5 pcs)

MRP: ₹25,825

GAS 12-25 Professional



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019C30F0
Max. power input (Turbine)	1,380 W
Container volume, gross	35L
Container volume, net	23L
Container volume, net, water	19.2 L
Filter surface area	6,150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	11.6 kg
Scope of supply:	
	Brown box, Hose with BIA
	nozzle 3 m, 35 mm diameter,
	Elbow, Crevice nozzle,
	Floor nozzle set, Disposal bag
	Tool sleeve, SFC+ module

MRP: ₹86,450

GAS 35 L SFC+ Professional



*Tool Socket for connecting Power Tools.

VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019C33F0
Max. power input (Turbine)	1,380 W
Container volume, gross	55L
Container volume, net	43L
Container volume, net, water	40 L
Filter surface area	6.150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	16.2 kg
*Tool Socket for connecting Power Tools.	
Scope of supply:	
	5 m anti-static hose, Elbow,
	Crevice nozzle, Floor nozzle set,
	Disposal bag, Tool sleeve

MRP: ₹132,000

GAS 55 M AFC Professional



SMALL ANGLE GRINDER - CONCRETE



Technical Specifications

HSN code	84672900
Part no.	06017760F0
Rated power input	1,500 W
No-load speed	9,300 rpm
Grinding spindle thread	M14
Grinding head, diameter	125 mm
Weight	2.6 kg

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:
Clamp key, Carry case,
Diamond grinding head,
3 x replacement brush rings

MRP: ₹81,175

GBR 15 CAG Professional



OSCILLATING TOOL

GOP 30-28 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN code	84672900
Part no.	06012370F0
Rated input power	300 W
No-load oscillation	8,000 - 20,000 opm
Oscillation angle on left and right	1.4°
Weight	1.5 kg



Till stocks last

MRP: ₹26,600



ROTARY & IMPACT DRILLS



ROTARY DRILL

GBM 350 Professional



Technical Specifications

HSN code	84672100
Part no.	06011A95F1
Power input	350 W
No-load speed	0 - 2,800 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg
Scope of supply	
Keyed chuck 10 mm	MRP: ₹ 3,450




ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06014775F0
Power input	600 W
No-load speed	0 - 2,600 rpm
Chuck capacity	1.5-13 mm
Drilling diameter in steel	13mm
Drilling diameter in aluminium	13 mm
Drilling diameter in wood	30mm
Weight	1.7 kg
Scope of supply:	
Keyed chuck 13 mm	MRP: ₹7,075



ROTARY DRILL / STIRRER

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011BOOF1
Power input	850 W
No-load speed	0 - 630 rpm
Rated torque	11 Nm
Lock-on button	Yes
Stirrer capacity	160 mm
Wood drilling	40 mm
Metal drilling	16 mm
Weight	3 kg
Scope of supply:	
Auxiliary handle	MRP: ₹16,675



ROTARY DRILL

GBM 50-2 Professional



Technical Specifications

HSN code	84672100
Part no.	06011B40F0
Power input	1,200 W
No-load speed	50-255 / 100-510 rpm
Annular cutter	Ø 50mm
Max. twist drill	Ø 23 mm
Max. thread	M16
Magnetic force	14,000 N
Weight	14.7 kg
Scope of supply:	
Carry case, MT2 drill drift, Hex key, Safety strap, Reduction sleeve, Pilot pin, Adapter for annular cutter, Cooling tank with hose, cooling tank holder	MRP: ₹123,725



IMPACT DRILL

GSB 450 Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FK
Input Power	450 W
Impact Rate	0 - 41,600 bpm
No-load speed	0 - 2,600 rpm
Max. drill capacity: concrete	10mm
Max. Grill capacity: steel	8mm
Max. drill capacity: wood	20mm
Weight	1.5 kg

MRP: ₹4,100



IMPACT DRILL

GSB 450 Wrap Set Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FL
Input Power	450 W
Impact Rate	0 - 41,600 bpm
No-load speed	0 - 2,600 rpm
Max. drill capacity: concrete	10mm
Max. Grill capacity: steel	8mm
Max. drill capacity: wood	20mm
Weight	1.5 kg

Scope of supply:

4 Pcs Concrete Drill Bits, 4 Pcs
Metal Drill Bits, 10 Pcs Screw-
driver Bits, 4 Pcs Wood Drill Bits

MRP: ₹5,100



IMPACT DRILL

GSB 501 Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FD
Input power	500 W
No-load speed	0 - 2,600 rpm
Impact rate	0 - 25,700 bpm
Rated torque	1.5 Nm
Max. drill capacity: concrete	13mm
Max. drill capacity: steel	10 mm
Max. drill capacity: wood	25mm
Weight	1.5 kg

MRP: ₹4,650



IMPACT DRILL

New Launch! GSB 600 Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F3
Rated input power	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg

Scope of supply:

Auxiliary handle, Depth gauge,
Keyed chuck 13 mm

MRP: ₹4,400



IMPACT DRILL

GSB 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F3
Rated input power	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm

MRP: ₹7,425



IMPACT DRILL

GSB 16 RE Professional




Technical Specifications

HSN code	84672100
Part no.	06012281F0
Rated input power	750 W
No-load speed	0 - 3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0 - 48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹11,725



IMPACT DRILL

GSB 20-2 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011A21F1
Power input	800 W
No-load speed (1/2" Gear)	1,100/3,000 rpm
Impact Rate	48,000 bpm
Max. drilling diameter (18/24 gear) Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.6 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹17,775



IMPACT DRILL

GSB 500 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F8
Power input	500 W
No-load speed, 1 st gear	0 - 2,600 rpm
Impact rate at no-load speed	0 - 41,600 bpm
Chuck capacity, min./max.	1.5 - 10 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹7,950



IMPACT DRILL

GSB 600 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F8
Power input	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm,
100 pcs accessory set

MRP: ₹9,375



IMPACT DRILL

GSB 10 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F4
Power input	500 W
No-load speed	0 - 2,600 rpm
Impact rate at no-load speed	0 - 41,600 bpm
Drilling diameter in masonry wall	10 mm
Drilling diameter in steel	8mm
Drilling diameter in wood	20 mm
Chuck capacity	1-10 mm
Weight	1.5 kg

Scope of supply:
Keyed chuck 10 mm,
100 pcs accessory set

MRP: ₹7,950



IMPACT DRILL

GSB 13 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F6
Power input	600 W
No-load speed	0 - 2,800 rpm
Impact rate	48,000 bpm
Drilling diameter in masonry	13mm
Drilling diameter in wood	25 mm
Drilling diameter in steel	10 mm
Weight	1.6 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm,
100 pcs accessory set

MRP: ₹9,725





CHOPSAWS



BENCH TOP CUT-OFF SAW

GCO 220 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B373F0
Input power	2,200 W
No-load speed	3,800 rpm
Disc diameter	355 mm
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity round	129 x 129 mm
Cutting capacity L-profile	130x130 mm
Weight	14 kg
Scope of supply:	
Cutting disc	

MRP: ₹18,100



BENCH TOP CUT-OFF SAW


GCO 14-24 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B371F0
Input power	2,400 W
Cutting capacity rectangle	100x196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity L-profile	130x130 mm
No-load speed	3,800 rpm
Disc diameter	355 mm
Weight	17.5 kg
Scope of supply:	
Cutting disc	

MRP: ₹22,050



BENCH TOP CUT-OFF SAW

GCO 14-24 J (Soft-Start) Professional




Technical Specifications

HSN code	84672200
Part no.	0601B372F0
Rated power input	2,400 W
No-load speed	3,800 rpm
Saw blade diameter	355 mm
Saw blade bore	25.4 mm
Cutting capacity at rectangle	100 x 196 mm
Cutting capacity at square	119x119 mm
Cutting capacity at L-profile	130 x 130 mm
Weight	18.1 kg
Scope of supply:	
Cutting disc	

MRP: ₹23,850



METALWORKING



STRAIGHT GRINDER

GGG 3000 L Professional

10



Technical Specifications

HSN code	84672900
Part no.	06012240F0
Power input	300 W
No-load speed	0 - 28,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.5 kg

Scope of supply:
Collet chuck, Lock nut,
Spanner

MRP: ₹11,375



STRAIGHT GRINDER

GGG 5000 L Professional



Technical Specifications

HSN code	84672900
Part no.	06012241F0
Power input	500 W
No-load speed	33,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.4 kg

Scope of supply:
Collet chuck,
2 x Single head open
end wrench

MRP: ₹13,700



STRAIGHT GRINDER

GGG 28 LCE Professional



Technical Specifications

HSN code	84672900
Part no.	06012211F0
Power input	650 W
No-load speed	10,000 - 28,000 rpm
Tool holder Up to	8 mm
Weight without cable	1.6 kg

Scope of supply:
Clamping unit,
13 mm spanner,
19 mm spanner

MRP: ₹30,775



HEAVY DUTY



BT GRINDERS

GBG 35-15 Professional



Technical Specifications

HSN code	84672900
Part no.	060127A3F0
Power input	350 W
No load speed	3,000 rpm
Disc diameter	150 mm
Grinding disc width	20 mm
Grinding disc bore	20 mm
Weight	10 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹14,350



HEAVY DUTY



METALWORKING

BT GRINDERS

GBG 60-20 Professional



Technical Specifications

HSN code	84672900
Part no.	060127A4F0
Power input	600 W
No load speed	(50/60Hz) 3,000 rpm
Disc diameter	200 mm
Grinding disc width	25 mm
Grinding disc bore	32 mm
Weight	17 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹22,850



IMPACT WRENCH

GDS 30 Professional



Technical Specifications

HSN code	84672100
Part no.	06014351F3
Power input	920 W
Torque max. (hard/soft)	1,000 / 500 Nm
Rated speed	860 rpm
Tool holder	1" Sq. Drive
Bolt diameter Max.	M30
Weight	7.3 kg

Scope of supply:
Auxiliary handle,
Hanging loop


MRP: ₹ 148,425





WOODWORKING

WOODWORKING



CIRCULAR SAW

GKS 140 Professional




Technical Specifications

HSN code	84672200
Part no.	06016B30F0
Power input	1,400 W
Blade diameter/bore size	184/20mm
No-load speed	6,000 rpm
Max. depth of cut at	0° 64 +/-1
Cutting depth at	90° 64 mm
Cutting depth at	45° 45 mm

Scope of supply:
Parallel guide,
Circular saw blade,
Allen key

MRP: ₹11,600



CIRCULAR SAW

GKS 190 Professional



Technical Specifications

HSN code	84672200
Part no.	06016230F1
Power input	1,400 W
No-load speed	5,500 rpm
Saw blade bore	20 mm
Saw blade diameter	184 mm
Cutting depth	(90°) 67 mm
Cutting depth	(45°) 48 mm
Weight without cable	4.1 kg

Scope of supply:
Allen key WAF 5, Parallel guide,
Saw blade

MRP: ₹15,900



CIRCULAR SAW

GKS 235 Turbo Professional



Technical Specifications

HSN code	84672200
Part no.	06015A20F0
Power input	2,050 W
No-load speed	0 - 5,300 rpm
Saw blade bore	25 mm
Saw blade diameter	235 mm
Cutting depth	(90°) 85 mm
Cutting depth	(45°) 65 mm
Weight without cable	7.6 kg

Scope of supply:
Allen Key, Wrench,
Saw blades

MRP: ₹20,650



PLANER

GHO 26-82 D Professional



Technical Specifications

HSN code	84672900
Part no.	06015A40F0
Power input	710 W
No-load speed	16,500 rpm
Recess	9mm
Cutting width	82 mm
Max. cutting depth	2.6 mm
Weight	3 kg

Scope of supply:
Dust box, Parallel guide
Auxiliary blade

MRP: ₹16,125



JIGSAW

GST 650 Professional



Technical Specifications

HSN code	84672200
Part no.	06015A80F0
Power input	450 W
No-load speed	800 - 3,100 rpm
Max. cutting depth in wood	65 mm
Max. cutting depth in aluminium	10 mm
Max. cutting depth in metal	3 mm
Weight	1.9 kg
Scope of supply:	
1 Wood blade, 1 Allen key	

MRP: ₹6,200



JIGSAW

GST 150 BCE Professional



Technical Specifications

HSN code	84672200
Part no.	06015130F0
Power input	780 W
Stroke rate at no load	500 - 3,100 spm
Cable length	4 m
Weight	2.7 kg

Scope of supply:
1 Wood blade, 1 Allen key

MRP: ₹28,250



Till stocks last

JIGSAW

GST 90 BE Professional



Technical Specifications

HSN code	84672200
Part no.	060158F0F0
Power input	650 W
No-load stroke rate	500 - 3,100 spm
Cable length	2.5m
Cutting depth in wood	90 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight	2.6 kg

Scope of supply:
Dust extraction set, Carry case, Hex key WAF 5, Anti-splinter guard, 5 x jigsaw blade T 144 D

MRP: ₹21,100



TABLE SAW

New! GTS 254 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B450F0
Cutting depth	0"/45" 80/55 mm
Rip cut capacity	545 mm
Power	1,800 / 15A
Saw blade diameter	254 mm
Overload / restart protection	Yes
Table size	55 x 555 mm
Weight with stand	24.4 kg

Scope of supply:
Wood disc, Metal stand

MRP: ₹39,275



TABLE SAW

GTS 10 J Professional



Technical Specifications

HSN code	84672200
Part no.	0601B305F0
No-load speed	3,650 rpm
Table size	642 x 634 mm
Saw blade diameter	254 mm
Cutting height 90°	79 mm
Saw bore diameter	30 mm
Max. cutting on right	635 mm
Max. cutting on left	255 mm
Weight	27 kg
Scope of supply:	
Angle guide,	
Dust extraction adapter,	
Parallel guide, Push stick,	
Saw blade 254 x 30 mm	

MRP: ₹107,850



Till stocks last

MITRE SAW

GCM 10 MX Professional



*Without Blade

Technical Specifications

HSN code	84672200
Part no.	0601B290F0
Power input	1,700 W
Cutting capacity, 0°	89 mm
Cutting capacity, 45° incline	67 mm
No-load speed	4,800 rpm
Saw blade diameter	255 mm
Saw blade bore	25.4 mm
Weight	14.1 kg
Scope of supply:	
Allen key, Pro-Prevnes,	
Wrench, Carton box	

MRP: ₹33,650



PLANER

GHO 6500 Professional



Technical Specifications

HSN code	84672900
Part no.	06015960F0
Power input	650 W
No-load speed	16,500 rpm
Planing width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg
Scope of supply:	
Allen key, Parallel guide,	
Sharpening device for HSS blade,	
Setting gauge for HSS blade	

MRP: ₹11,600



PLANER

GHO 10-82 Professional



Technical Specifications

HSN code	84672900
Part no.	06015940F1
Power input	710 W
Adjustable rebating depth	0-9mm
No-load speed	16,500 rpm
Cutting width	82 mm
Cutting depth max.	1mm
Weight without cable	2.5 kg
Scope of supply:	
Guide bracket,	
Single-ended open-jaw spanner,	
Stop bracket	

MRP: ₹12,825



RANDOM ORBITAL SANDER

GEX 125-1 AE Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06013875F2
Power input	250 W
Sanding pad diameter	125 mm
No-load speed	7,500 - 12,000 rpm
Orbital stroke rate	15,000 - 24,000 opm
Eccentricity	1.25 mm
Oscillating circuit diameter	2.5 mm
Weight	1.3 kg
Scope of supply:	
Dust box, Sanding disc	

MRP: ₹10,625



RANDOM ORBITAL SANDER

GEX 34-150 Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06013728F0
Power input	340 W
No-load speed	4,500 - 12,000 rpm
Orbital stroke rate	9,000 - 24,000 opm
Orbit diameter	4mm
Pad diameter	150 mm
Cord	4mm
Weight	2.4 Kg
Scope of supply:	
Vac Adapter, Dust bag, Medium Pad 150mm	

MRP: ₹22,300



ORBITAL SANDER GSS 140

GSS 140 Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06012A80F0
Power input	220 W
No-load speed	14,000 rpm
No-load orbital stroke rate	28,000 opm
Orbital diameter	1.5mm
Sanding sheet dimension	114x140 mm
Sanding plate dimension	101x112 mm
Weight	1.2 kg
Scope of supply:	
Wood Sanding paper 3 pcs	

MRP: ₹4,775



ORBITAL SANDER

GSS 2300 Professional



Technical Specifications

HSN code	84672900
Part no.	06012980F0
Power input	190 W
No-load speed	12,000 rpm
Sanding sheet size	230 mm x 93 mm
Sanding plate size	182 mm x 92 mm
Weight	1.5 kg

Scope of supply:
Carton box,
3 Sanding sheets

MRP: ₹8,975



ROUTER

GKF 550 Professional



Technical Specifications

HSN code	84672900
Part no.	06016A00F0
Power input	550 W
No-load speed	33,000 rpm
Bit size	6 / *%4" mm
Weight	1.4 kg

Scope of supply:
Parallel guide, Roller guide,
Template guide, Spinners,
Straight bit

MRP: ₹8,525



ROUTER

GOF 130 Professional



Technical Specifications

HSN code	84672900
Part no.	06016B70F0
Power input	1,300 W
No-load speed	11,000 - 28,000 rpm
Bit holder	6 - 8.0 mm
Router bit diameter	40 mm
Weight	3.5 kg

Scope of supply:
Wrench, Parallel guide, Template
guide, Dust extraction adapter,
Centering pin, Guide roller,
Collet 8 mm, Collet 6 mm

MRP: ₹15,350



DRYWALL SCREWDRIVER

GTB 650 Professional



Technical Specifications

HSN code	84672100
Part no.	06014A20F0
Power input	650 W
No-load speed	0 - 5,000 rpm
Torque, max.	12 Nm
Bit holder	1/4" internal hexagon
Weight	1.4 kg

Scope of supply:
Carry case

MRP: ₹12,825



STORAGE SOLUTIONS

STORAGE SOLUTIONS



STORAGE BOXES

i-BOXX 53



Technical Specifications

HSN code	39231090
Part number	1600A001RV
Material	Plastic
Application	For use with L-Boxx 3D
Weight	0.81 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,000



STORAGE BOXES

i-BOXX 72



Technical Specifications

HSN code	39231090
Part number	1600A001RW
Material	Plastic
Application	For use with L-Boxx-3D
Weight	0.87 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹2,350



STORAGE BOXES

L-BOXX 102 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012FZ
Material	ABS
Suitable for	All types of Power Tools
Weight	1.8 kg

MRP: ₹4,100



STORAGE BOXES

L-BOXX 136 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G0
Material	ABS
Application	For use with L-Boxx-3D
Weight	2.2 kg

MRP: ₹4,200



STORAGE BOXES

L-BOXX 238 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G2
Material	ABS
Weight	2.8 kg

MRP: ₹5,750



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G3
Material	ABS
Suitable for	All types of Power Tools
Weight	3.0 kg

MRP: ₹7,625



STORAGE BOXES

L-BOXX Mini 2.0 Professional



Technical Specifications

HSN code	39231090
Part number	1600A007SF
Material	PP
Maximum load	1.5 kg
Weight	0.3 kg

MRP: ₹1,350



STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

HSN code	39231090
Part number	1600A001RU
Material	ABS
Product Type	LS-BOXX Tool Storage
Weight	3.85 kg

MRP: ₹9,625



STORAGE BOXES

LT-BOXX 170 Professional

12



Technical Specifications

HSN code	39231090
Part number	1600A00222
Material	ABS
Weight	2.3 kg

MRP: ₹6,525



TOOL BAG

MEDIUM TOOL BAG - 48 x 28 x 30



Technical Specifications

HSN code	42021990
Part number	1600A003BJ
Length	480 mm
Width	300 mm
Height	280 mm
Weight	1.5 kg

MRP: ₹3,550



TOOL BAG

LARGE TOOL BAG - 55 x 35 x 35



Technical Specifications

HSN code	42021990
Part number	1600A003BK
Length	550 mm
Width	350 mm
Height	350 mm

MRP: ₹4,100



STORAGE SOLUTIONS

Symbols and their meaning.



Guide Rail
For precise cuts.



"Plus-clean" System
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable Cable



Handle



Carrying Case



Slim Grip
Slim Grip



Spindle Lock
Faster, easier disc tool changing.



High Torque



Adjustable Cutter Clearance
Screw to adjust the cutter clearance according to sheet thickness.



L-BOX
Intelligent system for transport and storage.



2 in 1 Dual Tool Holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus Tool Holder
Optimum power transfer. For Rotary Hammers in the 2Kg; 4kg class.



SDS-max Tool Holder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload Clutch



Forward/Reverse Rotation
For inserting and removing screws.



Lithium-ion Technology
No self-discharge. No memory effect.



Anti-rotation Protective Guard
Stands firm, even if the disc breaks.



Brake System
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart Protection
Prevents the tool from automatically starting up after a power cut.



Dust Extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct Cooling
For high overload capability and a long service life.



Starting Current Limitation
For a safe start.



Saw Blade Pendulum Action
Adjustable 3-stage or 4-stage saw blade pendulum action.



INOX
For a perfect finish on stainless steel



Easy-Fit
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine Depth Adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser Class 3R
Laser class for various measuring tools.



Laser Class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

Part Number	Category	Model Number	HSN Code	MRP ₹
CORDLESS				
06019H21L1	Screwdriver	Bosch GO 2.0	84672900	5,425
06019H2181	Screwdriver	Bosch GO 2.0 Kit	84672900	5,875
06019G80F1	Drill Driver	GSR 120-Li (Single Battery)	84672100	7,525
06019G80F0	Drill Driver	GSR 120-Li Kit	84672100	12,025
06019G9082	Drill Driver	GSR 12V-30 (Solo)	84672100	10,475
06019J9180	Drill Driver	GSR 12V-35 HX (Solo)	84672100	11,925
06019F60F0	Drill Driver	GSR 12V-15 FC	84672100	27,025
06019F81F0	Drill Driver	GSR 180-Li	84672100	18,650
06019k31f2	Drill Driver	New! GSR 185-Li Kit	84672100	16,875
06019H5082	Drill Driver	GSR 18V-50 Solo	84672100	14,300
06019H50F0	Drill Driver	GSR 18V-50 Kit	84672100	27,025
06019G81F2	Impact Drill Driver	GSB 120-Li Kit	84672100	13,075
06019F83F0	Impact Drill Driver	GSB 180-Li	84672100	19,650
06019K31F2	Impact Drill Driver	New! GSB 185-Li Kit	84672100	18,900
06019J51L0	Drill Driver	New! GSB 18V-150 C (Solo)	84672100	29,500
06019F00F0	Impact Wrench	GDR 120-Li Kit	84672100	16,550
06019E00F6	Impact Wrench	GDR 12 V-EC	84672100	27,375
06019G51F0	Impact Wrench	New! GDR 180-Li	84672100	29,125
06019G42F0	Impact Wrench	GDX 18V-200 C	84672900	39,325
06019J23F0	Impact Wrench	GDS 18V-200	84672100	34,200
06019G61F0	Impact Wrench	GDS 250-Li	84672900	34,425
06019K00K1	Impact Wrench	GDS 18V-400 (Solo)	84672100	18,750
06019K00F0	Impact Wrench	GDS 18V-400	84672100	47,150
06019J85F0	Impact Wrench	GDS 18V-1050 H	84672100	63,650
06119111F0	Rotary Hammers 1-2 Kg	GBH 180-Li	84672900	42,050
06119240F0	Rotary Hammers 1-2 Kg	New Launch! GBH 185-Li	84672100	42,350
0611914082	Rotary Hammers 4 Kg	GBH 18V-34 CF (Solo)	84672100	80,325
06019C50K1	Rotary Tool	New Launch! GRO 12V-35 (Solo)	84672900	8,300
06019J40F0	Small Angle Grinder	GWS 18V-10 (100 mm) Kit	84672900	45,450
06019H90F0	Small Angle Grinder	GWS 180-Li (100 mm) Kit	84672900	37,625
06019H90K0	Small Angle Grinder	GWS 180-Li (Solo) (100 mm)	84672900	15,950
06019H91K0	Small Angle Grinder	New! GWX 180-Li (Solo) (125mm)	84672900	17,850
06019J4002	Small Angle Grinder	GWS 18V-10 (125 mm) (Solo)	84672900	20,800
06019F51L0	Blower	GBL 18V-120 (Solo)	84145920	9,450
06019K10F1	Cutting	New! Pro Pruner	84672900	22,875
06016C12L1	Circular Saws	GKS 185-Li (Solo)	84672900	18,950
06016A22L0	Circular Saws	Till stocks last GKS 18V-57 (Solo)	84672900	23,400
06019K5080	Rivet Gun	New! GRG 18V-16 C (Solo)	84672200	75,075
06016A5080	All Purpose / Recipsaw	GSA 18V-Li Compact (Solo)	84672200	27,150
06016A8108	All Purpose / Recipsaw	GSA 18V-32 (Solo)	84672200	62,475
06016C00L0	All Purpose / Recipsaw	Launching soon! GSA 185-Li	84672200	MRP*
06013A5080	Random Orbit Sander	GEX 185-Li (Solo)	84672900	10,050
06019K70L1	Drywall Screwdriver	GTB 185-Li (Solo)	84672900	13,700
06015B3 0L3	Jigsaw	GST 185-Li (Solo)	84672900	14,975
06019C62L0	Vacuum Cleaner	GAS 18V-1 (Solo)	84672900	9,525
BATTERY				
1600A00F6X	Battery	GBA 12V 2.0 Ah	85076000	3,775
1600A001CG	Battery	GBA 18V 2.0 Ah	85076000	6,075
1600A00163	Battery	GBA 18V 4.0 Ah	85076000	9,175
1600A0193L	Battery	ProCORE 18V 4.0 Ah	85076000	11,475
1600A0193N	Battery	ProCORE 18V 8.0 Ah	85076000	21,300
1.600A021L7	Charger	New! GAL 12V-20	85044030	3,275
1600A022V0	Charger	GAL 12V-40	85044030	3,450
1600A022V1	Charger	GAL 18V-40	85044030	4,425
1600A022V3	Starter Kits	GAL 12V-40 + 2x GBA 12V 2.0Ah	85076000	9,625
1600A022V4	Starter Kits	GAL 18V-40 + 2x GBA 18V 2.0Ah	85076000	16,125
1600A022V2	Starter Kits	GAL 18V-40 + 2x GBA 18V 4.0Ah	85076000	22,250

Part Number	Category	Model Number	HSN Code	MRP ₹
DEMOLITION HAMMERS				
06113386F1	Demolition Hammer < 5 Kg	New! GSH 500 Hex	84672100	27,025
06113387F0	Demolition Hammer < 5 Kg	GSH 500 MAX	84672100	34,325
06113370F0	Demolition Hammer < 5 Kg	GSH 5	84672100	47,150
06113168F2	Demolition Hammer < 11 Kg	New! GSH 11 E Promo	84672100	60,100
06113360F0	Demolition Hammer < 11 Kg	GSH 11 VC	84672100	105,100
06113440F0	Demolition Hammer < 14 Kg	New Launch! GSH 14 C	84672100	99,500
06113351F0	Demolition Hammer > 16 Kg	GSH 16-30	84672100	147,325
061130A0F0	Demolition Hammer > 27 Kg	GSH 27 VC	84672100	292,300
ROTARY HAMMERS				
06112A60F0	Rotary Hammer 1 - 2 Kg	GBH 220	84672100	10,625
06112721F1	Rotary Hammer 1 - 2 Kg	GBH 2-24 DRE	84672100	16,450
0611251755	Rotary Hammer 1 - 2 Kg	GBH 2-26 RE	84672100	20,200
06112537F0	Rotary Hammers 1 - 2 Kg	GBH 2-26 DRE + Drill Chuck	84672100	21,850
06112671F0	Rotary Hammers 1 - 2 Kg	GBH 2-28 DV	84672100	24,600
06113321F0	Rotary Hammers 4 Kg	GBH 4-32 DFR	84672100	47,550
06112690F0	Rotary Hammer 5 Kg and more	GBH 5-40 D	84672100	62,200
06112650F0	Rotary Hammer 5 Kg	GBH 8-45 DV	84672100	112,700
06112660F0	Rotary Hammers 12 Kg	GBH 12-52 DV	84672100	134,750
DIAMOND TECHNOLOGY				
06013930F1	Stone Cutter	GDC 120	84672900	6,075
06013931F1	Stone Cutter	GDC 141	84672900	7,250
GRINDERS				
060137505F	Mini Grinder 4"	GWS 600	84672900	4,000
06013943F0	Mini Grinder 4"	New! GWS 800	84672900	5,250
06013940F0	Mini Grinder 4"	GWS 750-100	84672900	5,425
06013960F0	Mini Grinder 4"	GWS 900-100	84672900	6,625
060137515A	Mini Grinder 5"	GWS 6-125	84672900	5,875
06013961F2	Mini Grinder 5"	GWS 900-125 S	84672900	8,625
06013A60F0	Mini Grinder 5"	New! GWS 12-125 S	84672900	9,725
06018242F1	Mini Grinder 5"	GWS 14-125 CI	84672900	12,475
06017A30F1	Mini Grinder 5"	GWS 18-125 L	84672900	19,375
06017C40F2	Mini Grinder with X-LOCK	GWX 17-125 S	84672900	22,200
06018C00F0	Large Angle Grinder 7"	GWS 2200-180	84672900	13,375
06018C20F0	Large Angle Grinder 7"	New! GWS 24-180	84672900	19,000
06018C23F0	Large Angle Grinder 7"	New! GWS 24-180 JZ	84672900	19,500
06018G00F0	Large Angle Grinder 9"	New! GWS 30-180 B	84672900	37,400
06018C10F0	Large Angle Grinder 9"	GWS 2200-230	84672900	14,575
06018G10F0	Large Angle Grinder 9"	New! GWS 30-230 B	84672900	40,300
06018C30F0	Large Angle Grinder 9"	New! GWS 24-230 H	84672900	20,800
06018C23F0	Large Angle Grinder 7"	New! GWS 24-230 JZ	84672900	21,300
SPECIALITY TOOLS				
06012B60F0	AAC Block Cutter	New! GAC 250	84672200	21,250
06019805F0	Blower	GBL 620	84145920	4,775
06019804F5	Blower	GBL 82-270	85081100	7,625
060194D0F0	Heat Gun	GHG 180	84672900	4,100
06012A62F0	Heat Gun	GHG 20-63	84672900	11,600
06012A64F0	Heat Gun	GHG 20-60	84672900	13,125
06013A20F0	Metal Surface Finish	GPO 950	84672900	12,375
06013890F1	Metal Surface Finish	GPO 12 CE (Promo)	84672900	19,750
06016B10F0	Recipsaw	GSA 120	84672200	19,650
060164E2F0	Recipsaw	GSA 1300 PCE	85081100	26,375
06017D40F0	Drywall Sander	New! GTR 550	85081100	38,450
06019E51F0	Vacuum Cleaner	GAS 15 PS	85081100	22,050
060197C0F0	Vacuum Cleaner	GAS 12-25	85081100	25,825
06019C30F0	Vacuum Cleaner	GAS 35 L SFC +	85081100	86,450
06019C33F0	Vacuum Cleaner	GAS 55 M AFC	85081100	132,000
06017760F0	Concrete Grinder	GBR 15 CAG	84672900	81,175
06012370F0	Oscillating Tools	Till stocks last GOP 30-28	84672900	26,600

Part Number	Category	Model Number	HSN Code	MRP ₹
DRILLS				
06011A95F1	Rotary Drill	GBM 350	84672100	3,450
06014775F0	Rotary Drill	GBM 13 RE	84672100	7,075
06011B00F1	Rotary Drill	GBM 1600 RE	84672100	16,675
06011B40F0	Rotary Drill	GBM 50-2	84672100	123,725
06012161FK	Impact Drill	GSB 450	84672100	4,100
06012161FL	Impact Drill	GSB 450 Wrap Set	84672100	5,100
06012161FD	Impact Drill	GSB 501	84672100	4,650
06012171F3	Impact Drill	New Launch! GSB 600	84672100	4,400
06012171F3	Impact Drill	GSB 13 RE	84672100	7,425
06012281F0	Impact Drill	GSB 16 RE	84672100	11,725
06011A21F1	Impact Drill	GSB 20-2 RE	84672100	17,775
06012161F8	Impact Drill	GSB 500 RE Kit	84672100	7,950
06012171F8	Impact Drill	GSB 600 RE Kit	84672100	9,375
06012161F4	Impact Drill	GSB 10 RE Kit	84672100	7,950
06012171F6	Impact Drill	GSB 13 RE Kit	84672100	9,725
CHOPSAWS				
0601B373F0	Bench Top Cut-off Saw	GCO 220	84672200	18,100
0601B371F0	Bench Top Cut-off Saw	GCO 14-24	84672200	22,050
0601B372F0	Bench Top Cut-off Saw	GCO 14-24 J (Soft-Start)	84672200	23,850
METALWORKING				
06012240F0	Straight Grinder	GGs 3000 L	84672900	11,375
06012241F0	Straight Grinder	GGs 5000 L	84672900	13,700
06012211F0	Straight Grinder	GGs 28 LCE	84672900	30,775
060127A3F0	Bench Grinder	GBG 35-15	84672900	14,350
060127A4F0	Bench Grinder	GBG 60-20	84672900	22,850
06014351F3	Impact Wrench	GDS 30	84672100	148,425
WOODWORKING				
06016B30F0	Circular Saw	GKS 140	84672200	11,600
06016230F1	Circular Saw	GKS 190	84672200	15,900
06015A20F0	Circular Saw	GKS 235 Turbo	84672200	20,650
06015A80F0	Jigsaw	GST 650	84672200	6,200
06015130F0	Jigsaw	Till stocks last GST 150 BCE	84672200	28,250
060158F0F0	Jigsaw	GST 90 BE	84672200	21,100
0601B450F0	Table Saw	New! GTS 254	84672200	39,275
0601B305F0	Table Saw	Till stocks last GTS 10 J	84672200	107,850
0601B290F0	Mitre Saw	GCM 10 MX	84672200	33,650
06015960F0	Planer	GHO 6500	84672900	11,600
06015940F1	Planer	GHO 10-82	84672900	12,825
06015A40F0	Planer	GHO 26-82 D	84672900	16,125
06013875F2	Random Orbital Sander	GEX 125-1 AE	84672900	10,625
06013728F0	Random Orbital Sander	GEX 34-150	84672900	22,300
06012A80F0	Orbital Sander	GSS 140	84672900	4,775
06012980F0	Orbital Sander	GSS 2300	84672900	8,975
06016A00F0	Router	GKF 550	84672900	8,525
06016B70F0	Router	GOF 130	84672900	15,350
06014A20F0	Screwdriver	GTB 650	84672100	12,825
STORAGE SOLUTIONS				
1600A001RV	Storage Boxes	i-BOXX 53	39231090	3,000
1600A001RW	Storage Boxes	i-BOXX 72	39231090	2,350
1600A012FZ	Storage Boxes	L-BOXX 102	39231090	4,100
1600A012G0	Storage Boxes	L-BOXX 136	39231090	4,200
1600A012G2	Storage Boxes	L-BOXX 238	39231090	5,750
1600A012G3	Storage Boxes	L-BOXX 374	39231090	7,625
1600A007SF	Storage Boxes	L-BOXX Mini 2.0	39231090	1,350
1600A001RU	Storage Boxes	L-BOXX 306	39231090	9,625
1600A00222	Storage Boxes	LT-BOXX 170	39231090	6,525
1600A003BJ	Tool Bag	TOOL BAG - 48 x 28 x 30	42021990	3,550
1600A003BK	Tool Bag	TOOL BAG - 55 x 35 x 35	42021990	4,100

TERMS AND CONDITIONS

- Traditional Trade Price list, subjected to change without any prior notice.
- Standard TT discount is applicable on List Price / Promo List Price.
- Promo prices are subjected to meeting minimum ordering quantity.
- All prices mentioned above are excluding GST. Current rate of GST is 18% and will be charged additionally.
- HSN code and EAN codes are indicative. For more details, please follow the invoice.
- In case of any dispute, system prices will be considered as final prices. Before placing the order, kindly check the latest price in B2B.
- This price list supersedes all previous prices communicated.
- MRP on the tools may be different based on manufacturing / imported date.
- In case if any products not listed above and available in stock, you may contact PT-BE/MKR-IN for pricing prior to invoicing.
- In case of any disputes PT-BE/MKR-IN & PT-BE/SAD decision is final & are subject to Bangalore jurisdiction.



BOSCH

Professional

1 year warranty from
the date of purchase*

**HEAVY
DUTY**

1 year warranty from
the date of purchase*

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all material and manufacturing defects for a period of 6 months from the date of purchase *for Professional Tools and 1 year from the date of purchase* for Professional Heavy Duty Tools.

In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that:

- ▶ The Power Tool has not been tampered with.
- ▶ Failure has occurred due to manufacturing/material defects.
- ▶ The Power Tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the Power Tool, guarantee card and original tool purchase receipt or invoice.

This warranty does not cover:

- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.





Bosch Limited, Power Tools Division
PA-AT Complex, Hosur Road, Adugodi,
Bangalore - 560030

 www.facebook.com/BoschPTindia



Customer Contact Center

1800 425 8665

Email: bpt@in.bosch.com

www.bosch-pt.co.in

Edition: Jan 2023



BOSCH

PROFESSIONAL BLUE POWER TOOLS FOR TRADE AND INDUSTRY 2023



Edition: Jan 2023




BeConnected is a simple way for users to stay connected through product registration


Avail the best-in-class Bosch products with all the exciting benefits such as Paperless Warranty, Warranty Extension, Reward Points*, Cash Back*, Product Information and Seamless After Sales Service




Scan the QR code on the label of your Power Tool




Register on BeConnected and get benefited



Receive E-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons!



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Warranty Certificate

Quality products with certified assurances

Promotions / Coupons

Win exciting rewards and prizes

Communication / Bosch Power Tools

Stay up to date with the latest from Bosch Power Tools

Product Info (Video)

Valuable demos and tutorials on the product

Where to Buy / Service

Locate the nearest Bosch dealer to you

Fleet Management

Manage your entire portfolio of products

Ratings & Reviews

Share your valuable experience with us and your peers

* T&C Apply, Periodic promotions

CORDLESS



SCREWDRIVER

Bosch GO 2.0 Professional



Technical Specifications

HSN code	84672900
Part no.	06019H21L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX

Scope of supply:
1 USB cable,
PH1 & PH2 screw bit

MRP: ₹5,425



SCREWDRIVER

Bosch GO 2.0 Kit Professional



Technical Specifications

HSN code	84672900
Part no.	06019H2181
Battery voltage	3.6 V
Torque, max. (hard/soft)	5/2.5Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart stop	Yes
Tool holder	1/4" Inter HEX
Weight excl. battery	0.31 kg

Scope of supply:
Carrying case, Micro USB cable,
33-piece screwdriver bit set

MRP: ₹5,875



DRILL DRIVER

GSR 120-Li (Single Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F1
Battery voltage	12V
No-load speed	0-400 / 0-1,500 rpm
Torque, max. (hard/soft)	30/14 Nm
Max. screw diameter	7mm
Chuck size	10 mm
Drilling in wood/metal	20 / 10 mm
Weight incl. battery	0.97 kg

Scope of supply:
1 x 12V 2.0 Ah Li-ion battery,
1 Charger, Carry case

MRP: ₹7,525



DRILL DRIVER

GSR 120 Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019G80F0
Battery voltage	12V
No-load speed (1 ST /2 ND)	0-400 / 0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Max. screw diameter	7mm
Max. drilling (wood/steel)	20/10mm
Chuck size	10 mm

Scope of supply:
2 x 12V 2.0 Ah Li-ion batteries,
1 Charger, Carry case,
Accessory set, 6 Metal drill bit,
4 Wood drill bit, 10 Screw driver
bit and 1 Screw driver bit holder

MRP: ₹12,025



DRILL DRIVER

GSR 12V-30 (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672100
Part no.	06019G9082
Battery voltage	12V
No-load speed	0-420 / 0-1,600 rpm
Torque, max. (hard/soft)	30/18Nm
Max. screw diameter	8mm
Max. drilling (wood/steel)	20/10mm

Scope of supply:
Cardboard Box,
*Battery and charger not
included

MRP: ₹10,475



DRILL DRIVER

GSR 12V-35 HX (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019J9180
Battery voltage	12V
No-load speed (1st/2nd)	0-460 / 0-1,750 rpm
Torque (soft/hard)	20/35/- Nm
Max. screw diameter	8mm
Max. drilling (wood/steel)	32/10 mm
Chuck capacity, min./max.	0.8/10 mm
Weight excl. battery	0.57 kg

Scope of supply:
Cardboard Box,
*Battery and charger not
included

MRP: ₹11,925



DRILL DRIVER

GSR 12V-15 FC Professional



*Product
available till
stocks last



Technical Specifications

HSN code	84672100
Part no.	06019F60F0
Battery voltage	12V
No-load speed (1st/2nd)	0 - 400 / 0 - 1,300 rpm
Torque (hard/soft)	30/15 Nm
Max. screw diameter	7mm
Max. drilling (wood/steel)	19/10mm
Chuck size	10 mm

Scope of supply:
Drill chuck adapter GFA 12-B,
Off-set angle adapter GFA 12-E,
Angle adapter GFA 12-W,
Hex adapter, 1 Charger,
2 x 2.0 Ah Li-ion batteries,
Carry case

MRP: ₹27,025



DRILL DRIVER

GSR 180-Li Professional



*Product
available till
stocks last



Technical Specifications

HSN code	84672100
Part no.	06019F81F0
Battery voltage	18V
No-load speed (1st/2nd)	0-450 / 0-1,700 rpm
Torque (hard/soft)	54 / 21Nm
Max. screw diameter	10mm
Max. drilling (wood/steel)	35/10mm
Chuck size	13 mm

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹18,650



1

CORDLESS

DRILL DRIVER**New! GSR 185-Li Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019K30F0
Battery voltage	18V
Head length	162 mm
No-load speed	0-500 / 1,900 rpm
Max. torque (hard / soft)	50/21Nm
Chuck Size	13 mm
Max. drilling (wood/metal)	35 / 10mm
Weight (w/2.0Ah)	1.3 kg

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹16,875**DRILL DRIVERS****GSR 18V-50 (Solo) Professional****Technical Specifications**

HSN code	84672100
Part no.	06019H5082
Battery Voltage	18V
No-load speed (1st gear / 2nd gear)	0-460 / 0-1,800 rpm
Torque (soft/hard/max.)	28/50/50 Nm
Chuck Size	13 mm
Max. drilling (alum/wood/steel)	13 / 35 / 13 mm
Weight excl. battery	1kg

Scope of supply:
Cardboard box,
*Battery and charger
not included

MRP: ₹14,300**DRILL DRIVER****GSR 18V-50 Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019H50F0
Battery voltage	18V
No-load speed	0-460 / 0-1,800 rpm
Torque, max. (hard/soft)	50/28Nm
Max. drilling (wood/steel)	35 / 13mm
Max. screw diameter	10 mm

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah Li-ion batteries

MRP: ₹27,025**IMPACT DRILL DRIVER****GSB 120-Li Kit Professional****Technical Specifications**

HSN code	84672100
Part no.	06019G81F2
Battery voltage	12V
No-load speed (1st/2nd)	0-400 / 0-1,500 rpm
Torque (hard/soft)	30/14 Nm
Impact rate	0 - 18750 bpm
Max. drilling (wood/steel/masonry)	20 / 10 / 8mm
Weight with battery	1.1 kg

Scope of supply:
Carry case, 1 Charger,
2 x 2.0 Ah Li-ion batteries,
Accessory set: 4 Wood drill bits,
4 Metal drill bits, 4 Masonry drill
bits, 10 Screw driver bits,
1 Screw bit holder

MRP: ₹13,075



BITURBO
BRUSHLESS

IMPACT DRILL DRIVERS

GSB 180-Li Professional



Technical Specifications

HSN code	84672100
Part no.	06019F83F0
Battery voltage	18V
No-load speed (1st/2nd)	0-450 / 0-1,700 rpm
Torque (hard/soft)	54 / 21Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel/masonry)	35 / 10 / 8mm
Chuck size	13 mm

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹19,650



IMPACT DRILL DRIVERS

New! GSB 185-Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019K31F2
Battery voltage	18V
No-load speed (1st/2nd)	0-500 / 0-1,900 rpm
Weight (w/2.0Ah)	1.3kg
Max. screw diameter	10 mm
Max. drilling (wood/metal/masonry)	35 / 10 / 10 mm
Chuck material	Metal

Scope of supply:
2 x 2.0 Ah Li-ion batteries,
1 Charger, Carry case, 23-piece
drilling and screwdriving bit
set with holder

MRP: ₹18,900



DRILL DRIVERS

New! GSB 18V-150 C (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019J51L0
Battery voltage	18V
Torque (soft/hard/max.)	84/100/150 Nm
No-load speed (1st / 2nd gear)	0-550 / 0-2,200 rpm
Max. impact rate	30,000 bpm
Chuck capacity, min./max.	1.5 / 13 mm
Weight excl. battery	2.2 kg
Max drilling (wood/metal/masonry)	150 / 16 / 20 mm

Chuck material: Metal
Scope of supply:
Carry case
*Battery and charger not included

MRP: ₹29,500



IMPACT WRENCH

GDR 120-Li Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06019F00F0
Battery voltage	12V
No-load speed (1st/2nd)	0 -1,300 / 0-2,600 rpm
Torque (hard)	100 Nm
Max. screw diameter	8mm
Rated impact rate	0 -1,900 / 0-3,200 bpm
Bit holder	1/4" hexagon socket

Scope of supply:
2x20 Ah Li-ion batteries,
1 Charger, 1 Carry case

MRP: ₹16,550



IMPACT WRENCH

GDR 12 V-EC Professional

1

CORDLESS



Technical Specifications

HSN code	84672100
Part no.	06019E00F6
Battery voltage	12V
No-load speed	2,600 rpm
Torque (hard)	110 Nm
Max. screw diameter	M4-M12
Rated impact rate	0 - 3,100 bpm
Bit holder	1/4" internal hexagon

Scope of supply:
Carry case, 2 x 2.0 Ah Li-ion
batteries, 1 Charger

MRP: ₹27,375



IMPACT WRENCH

New! GDR 180-Li Professional



Technical Specifications

HSN code	84672100
Part no.	06019G51F0
Battery voltage	18V
No-load speed	0 - 2,800 rpm
Impact rate	0 - 3,600 bpm
Max. torque	160 Nm
Tool holder	1/4" Hex Uni
Screw diameter	M6-M14
Weight excl. battery	1.1 kg

Scope of supply:
2x 2.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹29,125



IMPACT WRENCH

GDX 18V-200 C Professional



Technical Specifications

HSN code	84672900
Part no.	06019G42F0
Battery voltage	18V
Torque max.	200 Nm
No-load speed	0 - 3,400 rpm
Screw Diameter	M6 - M16
Bit holder	1/4" internal hexagon & 1/2" external square
Weight excl. battery	1.1 kg

Scope of supply:
Carry case, L-BOXX 136 with
2x battery, GBA 18V 4.0Ah,
1 quick charger

MRP: ₹39,325



IMPACT WRENCH

GDS 18V-200 Professional



Technical Specifications

HSN code	84672100
Part no.	06019J23F0
Battery voltage	18V
Square drive	1/2 inch
No-load speed	0 - 3,400 rpm
Impact rate	0 - 4,200 bpm
Max. torque	200 Nm
Screw diameter	M6-M16
Weight excl. battery	1.1 kg

Scope of supply:
2x 4.0 Ah Li-ion batteries,
1 Charger, Carry case

MRP: ₹34,200



1

CORDLESS


IMPACT WRENCH

GDS 250-Li Professional



Technical Specifications

HSN code	84672900
Part no.	06019G61F0
Battery voltage	18V
Max. torque	250 Nm
No-load speed	0 - 2,400 rpm
Impact rate	0 - 3,300 bpm
Tool holder	1/2 Square
Screw size	M10 ~ M18
Weight excl. battery	1.2 kg
Scope of supply: 2 x 4.0 Ah Li-ion batteries, 1 Charger, Carry case	
MRP:	₹34,425



IMPACT WRENCH

GDS 18V-400 (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00K1
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5.0Ah)	1.85 kg
Scope of supply: *Battery and charger not included, Carry case	
MRP:	₹18,750



IMPACT WRENCH

GDS 18V-400 Professional



Technical Specifications

HSN code	84672100
Part no.	06019K00F0
Battery voltage	18 V
Max. declared torque	400 Nm
Square drive	1/2 inch
No-load speed	0 - 2,500 rpm
Screw Diameter	M10 - M20
Head length	172 mm
Weight (w/o battery)	1.25 kg
Weight (w GBA 18V 5.0Ah)	1.85 kg
Scope of supply: Carry case, 1 Charger, 2 x 5.0 Ah Li-ion batteries	
MRP:	₹47,150



IMPACT WRENCH

GDS 18V-1050 H Professional



Technical Specifications

HSN code	84672100
Part no.	06019J85F0
Battery voltage	18 V
Max. tightening torque	1,050 Nm
Max. breakaway torque	1,700 Nm
Square drive	3/4 inch
No-load speed	0-800/1,200/1,750 rpm
Impact rate	0-1,600/2,400/2,600 bpm
Torque	0.350 / 750 / 1050
Bolt diameter	M10 - M24
Weight (w/o battery)	2.9 kg
Scope of supply: 1 Charger, 2 x 5.0 Ah Li-ion batteries, L-BOXX 136	
MRP:	₹63,650



ROTARY HAMMER 1-2 KG

GBH 180-Li Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06119111F0
Battery voltage	18 V
Impact force	2.0 J
Drilling capacity	20 mm
No-load speed	0 - 1,800 rpm
Impact rate	0 - 4,550 bpm
Brushless motor	Yes
Max. drilling diameter in concrete	4 - 20 mm
Max. drilling diameter in wood	30 mm
Max. drilling in metal	13 mm
Weight (bare tool)	2.4 kg

Scope of supply:

1 Charger and Carry case

MRP: ₹42,050



ROTARY HAMMER 1-2 KG

New Launch! GBH 185-Li Professional



Technical Specifications

HSN code	84672100
Part no.	06119240F0
Battery voltage	18 V
Impact energy	1.9 J
No-load speed	0 - 1,050 rpm
Impact rate	0 - 4,675
Max. drilling diameter in concrete	04 - 22 mm
Max. drilling diameter in steel	13 mm
Max. drilling diameter in wood	20 mm
Bare tool weight with aux. handle	2.3 kg
Recommended battery	GBA 18V 4.0 Ah

MRP: ₹42,350



ROTARY HAMMER 4 KG

GBH 18V-34 CF (Solo) Professional



Technical Specifications

HSN code	84672100
Part no.	0611914082
Battery voltage	18V
Max. impact energy	5.8 J
Rated speed	0 - 500 rpm
Impact rate at rated speed	0 - 2,900 bpm
Max. drilling diameter in metal	13mm
Max. drilling diameter in wood	40 mm
Max drilling diameter in concrete	34mm
Weight excluding battery	4.9 kg

Scope of supply:

*Battery & charger not included, MRP: ₹80,325
Carry case



ROTARY TOOL

New Launch! GRO 12V-35 (Solo) Professional



Technical Specifications


HSN code	84672900
Part no.	06019C50K1
Battery voltage	12V
No-load speed	5,000 / 35,000 rpm
Weight	600 g
Dimensions L x W x H	44 x 36 x 11.5 cm

Scope of supply:

5x cutting disc, 32 mm, Arbour, Housing adapter
Key, Collet, 1/2 L-BOXX inlay for tool
Cardboard box.

*Battery and charger not included

MRP: ₹8,300



1

CORDLESS

SMALL ANGLE GRINDER**GWS 18V-10 (100 mm) Kit Professional****HEAVY DUTY****Li-ion****BeConnected****Technical Specifications**

HSN code	84672900
Part no.	06019J40F0
Battery voltage	18V
Grinding spindle thread	M10
No-load speed	9,000 rpm
Weight w/o battery	2.0 kg
Disc. diameter	100 mm

Scope of supply:

2 x 5.0 Ah Li-ion Batteries, 1 Charger, Handle
Keyless Protection guard
Clamping unit, Carry case

MRP: ₹45,450**SMALL ANGLE GRINDER****GWS 180 -Li (100 mm) Kit Professional****BOSCH Professional****Li-ion****BeConnected****Technical Specifications**

HSN code	84672900
Part no.	06019H90F0
Battery voltage	18V
No-load speed	(15t/2") 11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

Scope of supply:

Standard auxiliary handle, Keyless Protection guard,
Clamping nut, Back flange, Tom hole spanner,
2 x 4.0 Ah Li-ion Batteries,
GAL 18V-40 charger x 1,
Carry case

MRP: ₹37,625**SMALL ANGLE GRINDER****GWS 180 -Li (Solo) (100 mm) Professional****BOSCH Professional****Li-ion****BeConnected****Technical Specifications**

HSN code	84672900
Part no.	06019H90K0
Battery voltage	18V
No-load speed (1st/2nd)	11,000 rpm
Spindle size	M10
Disc diameter	100 mm
Grip size front / back	185 / 156
Weight w/o battery	1.4 kg
Weight w/ 4.0 battery	2.0 kg

Scope of supply:

*Battery and charger not
included, Cardboard Box

MRP: ₹15,950**SMALL ANGLE GRINDER****New! GWX 180 -Li (Solo) (125 mm) Professional****BOSCH Professional****Li-ion****BeConnected****XLOCK****Technical Specifications**

HSN code	84672900
Part no.	06019H91K0
Battery voltage	18 V
No-load speed	11,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.0 kg

Scope of supply:

*Battery and charger not
included, Cardboard box

MRP: ₹17,850

SMALL ANGLE GRINDER

GWS 18V-10 (125 mm) (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06019J4002
Battery voltage	18 V
No-load speed	9,000 rpm
Grinding/cutting disc, diameter	125 mm
Grinding spindle thread	M14
Weight excluding battery	2.1 kg

Scope of supply:
Cardboard box,
*Battery and charger not
included

MRP: ₹20,800



HEAVY
DUTY

Li-ion
technology



BeConnected
MOTOR



1

CORDLESS

Improved pruning efficiency, with the pull of a trigger!

 Sharp and durable blades which always cut cleanly

 Easy and safe to use with double safety switch

 4500 cuts from just 1 hour of fast charging

 Portable and lightweight for continuous use



BLOWER

GBL 18V-120 (Solo) Professional

1

CORDLESS



HEAVY DUTY

Li-ion

BeConnected



Technical Specifications

HSN code	84145920
Part no.	06019F51L0
Battery voltage	18 V
Max. air speed	75 m/s
Max. airflow	120 m ³ /h
No-load speed	17,000 rpm
Weight excluding battery	1.1 kg

Scope of supply:

4x Accessories (Nozzle, Extension tube, Deep hole nozzle, Dust collection tube)

*Battery and charger not included

MRP: ₹9,450



CUTTING

New! Pro Pruner Professional



BOSCH Professional

Li-ion

1 Year Warranty

Technical Specifications

HSN code	84672900
Part no.	06019K10F1
Rated voltage	12V
Battery capacity*	2.0 Ah
Max. cutting diameter	25 mm
No. of cuts per charge**	4500
Weight with 12V/2.0Ah battery	1 kg
Weight w/o battery	0.8 Kg

Scope of supply:

1x 12V 2.0 Ah Li-ion battery, 1 Charger

MRP: ₹22,875



CUTTING

GKS 185 Li (Solo) Professional



BOSCH Professional

Li-ion

1 Year Warranty

BRUSHLESS MOTOR

Technical Specifications

HSN code	84672900
Part no.	06016C12L1
Voltage	18V
Blade size / bore size	165/20 mm
No-load speed	5,000 rpm
Cutting depth, 90°/ 45°	57/41mm
Weight w/o battery	2.8 kg
Bevel capacity max.	50°

Scope of supply:

1x circular saw blade 165x 1.5/1.0x 20 mm, 1x parallel guide

MRP: ₹18,950



CIRCULAR SAWS

GKS 18V-57 (Solo) Professional



HEAVY DUTY

Li-ion

1 Year Warranty

Technical Specifications

HSN code	84672900
Part no.	06016A22L0
Battery voltage	18 V
No-load speed	3,400 rpm
Saw blade diameter	165 mm
Saw blade bore diameter	20 mm
Max. cutting capacity in wood (90°)	57 mm
Max. cutting capacity in wood (45°)	39 mm

Scope of supply:

1x circular saw blade, Optiline wood,

*Battery charger not included

MRP: ₹23,400



Till Stocks Last

1

CORDLESS

RIVET GUN**New! GRG 18V-16 C (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06019K5080
Battery voltage	18 V
Motor	Brushless
Pulling force	16,000 N
Stroke length	25 mm
Rivet diameter	3.0 - 6.4 mm
Weight excl. battery	1.6 kg

Scope of supply:
4 pcs Nose piece
12mm Wrench, Belt clip,
HMI Connectivity

MRP: ₹75,075**ALL PURPOSE / RECIPSAW****GSA 18V-Li Compact (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06016A5080
Battery voltage	18 V
Cutting depth in wood	200 mm
Stroke lengths	21 mm
Cutting depth in metal profiles and metal pipes	100mm
Stroke rate (1 st gear / 2 nd gear)	0 - 3,050 spm

Scope of supply:
*Battery and charger not included
Cardboard box, Inlay for L-BOXX 136,
1 x reciprocating saw blade S 922 AF,
1 x reciprocating saw blade S 922 EF,
1 x reciprocating saw blade S 922 HF

MRP: ₹27,150**ALL PURPOSE / RECIPSAW****GSA 18V-32 (Solo) Professional****Technical Specifications**

HSN code	84672200
Part no.	06016A8108
Cutting depth in wood	230 mm
Stroke lengths	32 mm
Cutting depth in metal profiles and metal pipes	175 mm
Stroke rate (1st gear / 2nd gear)	0 - 2,500 spm
Weight excl. battery	3.5 kg

Scope of supply:
*Battery and charger not included
Cardboard box,
1 x reciprocating saw blade S 1110 VF

MRP: ₹62,475**ALL PURPOSE / RECIPSAW****Launching Soon! GSA 185-LI Professional****Technical Specifications**

HSN code	84672200
Part no.	06016C00L0
Voltage	18 V
No-load stroke rate	0 - 2,900 min ⁻¹
Stroke length	28 mm
Dimensions (LxWxH)	450 x 96 x 170
Weight w/o battery	3.2 kg
Cutting depth (wood)	230 mm

MRP*

RANDOM ORBIT SANDER

GEX 185-Li (Solo) Professional

1

CORDLESS



Technical Specifications

HSN code	84672900
Part no.	06013A5080
Battery voltage	18 V
No-load speed	6,000 - 10,000
Sanding sheet diameter	125 mm
Height	135 mm
Sanding stroke	2.5 mm
Vibration	2.2 m/s ²

Scope of supply:

1x Dust Bag,
*Battery charger not included

MRP: ₹10,050



SCREWDRIVER

GTB 185-Li (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019K70L1
Battery voltage	18 V
No-load speed	0 - 4,500
Soft torque	5.2 Nm
Weight (w/o batt w/2.0Ah batt)	0.95 1.3 kg
Dimension (L/W/H)	261/56/222

Scope of supply:

Cardboard box
1x screwdriver bit PH 2,
1x belt clip, 1x bit holder,
*Battery charger not included

MRP: ₹13,700



JIGSAW

GST 185-Li (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06015B30L3
Battery voltage	18 V
Stroke length	26 mm
Cutting depth	125 mm
Bladeholder	SDS
LED	Yes
Weight (w/4.0 Ah battery)	2.6 kg
Chuck Size	13 mm

Scope of supply:

1x jigsaw blade T 144 D,
Speed for Wood,
*Battery charger not included

MRP: ₹14,975



VACUUM CLEANER

GAS 18V-1 (Solo) Professional



Technical Specifications

HSN code	84672900
Part no.	06019C62L0
Battery voltage	18 V
Weight excl. battery	1.3 kg
Container volume	0.7 l
Filter surface area	55 cm ²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure (turbine)	60 mbar

Scope of supply:

1x Floor nozzle, 1x Flexible extension tube,
1x Crevice nozzle and
2x Suction tubes,
*Battery charger not included

MRP: ₹9,525



BATTERY / CHARGERS



BATTERY**GBA 12V 2.0 Ah Professional****2****Technical Specifications**

HSN code	85076000
Part no.	1600A00F6X
Battery voltage	12V
Battery capacity	2.0 Ah°
Weight	175g

Suitable for

- 10.8V
 - 12.0V
- Bosch cordless tools range
(Tubular battery version)

MRP: ₹3,775**BATTERY****GBA 18V 2.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A001CG
Battery voltage	18V
Battery capacity	2.0 Ah
Weight	300 g

Suitable for

- All 18 V
- Bosch cordless tools range

MRP: ₹6,075**BATTERY****GBA 18V 4.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A00163
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	600 g

Suitable for

- All 18 V
- Bosch cordless tools range

MRP: ₹9,175**BATTERY****New! ProCORE 18V 4.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A0193L
Battery voltage	18V
Battery capacity	4.0 Ah
Weight	515 g

Suitable for

-

MRP: ₹11,475**BATTERY****New! ProCORE 18V 8.0 Ah Professional****Technical Specifications**

HSN code	85076000
Part no.	1600A0193N
Battery voltage	18 V
Battery capacity	8.0 Ah
Weight	955 g

Suitable for

- All 18V
- Bosch cordless tools range

MRP: ₹21,300**BATTERIES /
CHARGERS**

CHARGER

GAL 12V-20 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A021L7
Charge current	2A
Charging time min.	24 min
Input voltage	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,275

Suitable for charging of

10.8 V

12.0 V

Bosch tubular batteries

CHARGER

GAL 12V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V0
Charge current	4A
Charging time min.	24 min
Input voltage	230 V
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

MRP: ₹3,450

Suitable for charging of

• 10.8 V

• 12.0 V

Bosch tubular batteries

CHARGER

GAL 18V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1600A022V1
Battery charging voltage	14.4-18V
Charge current	4A
Charging time min.	36 min
Model	Li-Ion quick charger
Weight, approx.	5.50g

MRP: ₹4,425

Suitable for charging of

• 14.4 V

• 18.0 V

STARTER KITS

GAL 12V-40 + 2x GBA 12V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V3
Battery 1 capacity	2.0 Ah
Battery voltage	12V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12V
Charge current	4 A
Charge time at bat. cap.	24/35 min
2.0 Ah(80%/100%)approx.	
Charger weight	0.45 kg

MRP: ₹9,625

Suitable for charging of

• 12.0 V

Bosch tubular batteries

STARTER KITS

GAL 18V-40 + 2x GBA 18V 2.0Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1600A022V4
Battery 1 capacity	2.0 Ah
Battery voltage	18 V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4- 18V
Charge current	4A
Charge time at bat. cap.	24/35 min
2.0 Ah (80%/100%) approx.	
Charger weight	0.55 kg

MRP: ₹16,125

Suitable for charging of

• 18.0 V

STARTER KITS

GAL 18V-40 + 2x GBA 18V 4.0Ah Professional

2



Technical Specifications

HSN code	85076000
Part no.	1600A022V2
Battery 1 capacity	4.0 Ah
Battery voltage	18 V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4-18 V
Charge current	4A
Charge time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

Suitable for charging of

- 18.0 V

MRP: ₹22,250

**BATTERIES /
CHARGERS**

Pro CORE 18V MAXIMUM PERFORMANCE AND RUNTIME WITH FLEXIBLE POWER SYSTEM

Available in THREE CLASSES

COMPACT



PERFORMANCE



ENDURANCE



FLEXIBLE POWER SYSTEM:
100% COMPATIBLE
WITH ALL BOSCH PROFESSIONAL 18 V TOOLS

87%

More Power

30%

Faster Material Removal

BOSCH HAMMER



DEMOLITION HAMMER> 5 KG

New! GSH 500 Hex Professional

3



Technical Specifications

HSN code	84672100
Part no.	06113386F1
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	17 Hex mm
Side handle	Straight handle
Weight	5.5 kg

Scope of supply:
Auxiliary handle,
2 Chisel, Carry case

MRP: ₹27,025



DEMOLITION HAMMER> 5 KG

GSH 500 MAX Professional



Technical Specifications

HSN code	84672100
Part no.	06113387F0
Input power	1,100 W
Impact rate at rated speed	2,900 bpm
Impact energy	7.8 J
Tool holder	SDS MAX
Side handle	Straight handle
Weight	5.7 kg

Scope of supply:
Auxiliary handle,
1 Chisel, Carry case

MRP: ₹34,325



DEMOLITION HAMMER> 5 KG

GSH 5 Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113370F0
Rated power input	1,100 W
Impact energy	7.5 J
Rated speed	2,850 bpm
Weight without cable	5.6 kg

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel, Carry case,
Cleaning cloth, Grease tube,
Straight handle

MRP: ₹47,150



DEMOLITION HAMMER< 11 KG

New! GSH 11 E Promo Professional



HEAVY DUTY



Technical Specifications

HSN code	84672100
Part no.	06113168F2
Power input	1,500 W
Impact rate	900 - 1,890 bpm
Impact energy	16.8 J
Weight	10.1 kg

Scope of supply:
Auxiliary handle, Carry case,
Grease tube, 2 Nos R-Tech pointed chisel,
R-Tech Flat Chisel

MRP: ₹60,100



DEMOLITION HAMMERS

DEMOLITION HAMMER > 11 KG

GSH 11 VC Professional



Technical Specifications

HSN code	84672100
Part no.	06113360F0
Power input	1,700 W
Impact energy	23 J
Impact rate at rated speed	900 - 1,700 bpm
Weight without cable	11.4 kg

Scope of supply:
Auxiliary handle, carrying case,
Grease tube, machine cloth,
Pointed chisel

MRP: ₹105,100



DEMOLITION HAMMER > 14 KG

New Launch! GSH 14 C Professional



Technical Specifications

HSN code	84672100
Part no.	06113440F0
Power input	1,750 W
Impact rated at rated speed	1,900 Bpm
Impact energy (EPTA)	28 J
Width x length x height	140 x 750 x 280
Weight	14.6 kg

MRP: ₹99,500



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



Technical Specifications

HSN code	84672100
Part no.	06113351F0
Power input	1,750 W
Impact rate	1,300 Bpm
Impact energy	41 J
Weight	16.5 Kg

Scope of supply:
Carrying handle, Trolley,
Grease tube, Machine cloth,
Pointed chisel

MRP: ₹147,325



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



Technical Specifications

HSN code	84672100
Part no.	061130A0F0
Rated power input	2,000 W
Impact energy	62 J
Impact rate at rated speed	1,000 bpm
Weight	29.5 Kg

Scope of supply:
Paper box,
Pastic bags

MRP: ₹292,300





ROTARY HAMMER

ROTARY
HAMMERS



ROTARY HAMMER 1-2 KG

GBH 220 Professional

4



Technical Specifications

HSN code	84672100
Part no.	06112A60F0
Rated input power	720 W
Impact energy	2J
Impact rate at rated speed	0 - 4,800 bpm
Drilling diameter concrete, hammer drill bits	4-22mm
Max. drilling diameter in (metal/wood/concrete)	13/30/22 mm
Tool holder	SDS Plus
Scope Of Supply:	
Carrying Case	MRP: ₹10,625



ROTARY HAMMER 1-2 KG

GBH 2-24 DRE Professional



Technical Specifications

HSN code	84672100
Part no.	06112721F1
Power input	790 W
Impact energy	2.7 J
Drilling capacity	24 mm
No-load speed	1,300 rpm
Impact rate	4,200 bpm
Weight	2.8 kg

Scope of supply:
Carry case

MRP: ₹16,450



ROTARY HAMMER 1-2 KG

GBH 2-26 RE Professional



Technical Specifications

HSN code	84672100
Part no.	0611251755
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	30mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0-3J
Weight	2.7 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Carry case

MRP: ₹20,200



ROTARY HAMMER 1-2 KG

GBH 2-26 DRE + DRILL CHUCK Professional



Technical Specifications

HSN code	84672100
Part no.	06112537F0
Drilling diameter in concrete	4-26 mm
Drilling diameter in steel	13mm
Drilling diameter in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	2.7 J
Weight	2.7 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Carry case

MRP: ₹21,850



ROTARY
HAMMERS

ROTARY HAMMER 1-2 KG

GBH 2-28 DV Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications

HSN code	84672100
Part no.	06112671F0
Drilling diameter in concrete	4-28 mm
Drilling diameter in steel	13mm
Drilling diameter in wood	30mm
Core diameter masonry	68 mm
Rated power input	850 W
No-load speed	0 - 1,300 rpm
Impact rate at rated speed	0- 5,100 bpm
Impact energy	0-3.2J
Weight	2.9 kg

Scope of supply:

Auxiliary handle, Depth gauge,
Carry case

MRP: ₹24,600



ROTARY HAMMER 4 KG

GBH 4-32 DFR Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications

HSN code	84672100
Part no.	06113321F0
Drilling diameter in concrete	6 - 32 mm
Drilling diameter in steel	13 mm
Drilling diameter in wood	32mm
Power input	900 W
No-load speed	0 - 800 rpm
Impact rate	0 - 3,600 bpm
Impact energy	4.2 J
Weight	4.7 kg

Scope of supply:

Auxiliary handle, Carry case,

Depth stop,


SDS-plus quick-change chuck

MRP: ₹47,550



ROTARY HAMMER 5 KG AND MORE

GBH 5-40 D Professional



HEAVY DUTY



BeConnected



Warranty

Technical Specifications

HSN code	84672100
Part no.	06112690F0
Drilling diameter in concrete	12 -40 mm
Rated power input	1,100 W
Impact energy	8.5 J
Impact rate at rated speed	1,500 - 2,900 bpm
Rated speed	170 - 340 rom
No-load Speed	0 - 760 rpm
Weight	6.8 kg

Scope of supply:

Carrying cases, Cleaning cloth,

Grease tube, Auxiliary handle

MRP: ₹62,200



ROTARY HAMMER 8 KG

GBH 8-45 DV Professional

4



Technical Specifications

HSN code	84672100
Part no.	06112650F0
Rated power input	1,500 W
Impact energy	12.5 J
Impact rate at rated speed	1,380-2,760 bpm
Rated speed	0 - 305 rpm
Drilling diameter concrete, Hammer drill bits	12-45 mm
Optimum range of applications in concrete with hammer drill bits	20-40 mm
Drilling diameter in concrete with breakthrough drill bits	80 mm
Weight without cable	8.9 KG



Scope of supply:
Grease tube, Cleaning cloth
Carrying case

MRP: ₹112,700



ROTARY HAMMER 12 KG

GBH 12-52 DV Professional



Technical Specifications

HSN code	84672100
Part No.	06112660F0
Input Power	1,700 W
Max. Impact Energy	19 J
Impact Rate At Rated Speed	1,750 - 2,150 bpm
Rated Speed	0 - 220 rpm
Drilling diameter in concrete With hammer drill bits	12 - 52mm
Weight	11.9 Kg



Scope of supply:
Carrying case, Grease tube,
Machine cloth,
Auxiliary handle


MRP: ₹134,750



ROTARY HAMMERS

DIAMOND/STONE CUTTER

DIAMOND
TECHNOLOGY



DIAMOND/STONE CUTTER

GDC 120 Professional

5



Technical Specifications

HSN Code	84672900
Part No.	06013930F1
Rated Power Input	1,200 W
No-load Speed	12,000 rpm
Tool Blade	4 Inch
Cutting Depth (At 90°)	34 Mm
Cord Length	1.5m
Net Weight	2.5 Kg

MRP: ₹6,075



DIAMOND/STONE CUTTER

GDC 141 Professional



Technical Specifications

HSN Code	84672900
Part no.	06013A41F0
Rated Power Input	1,450 W
No-load Speed	12,000 rpm
Max. Cutting Disc Diameter	125mm
Max. Cutting Depth	40 mm
Weight	3 Kg

Scope of supply:

1x Hex key, 1x Hexagon socket wrench,
Cardboard box


MRP: ₹7,250



DIAMOND
TECHNOLOGY

ANGLE GRINDERS

ANGLE GRINDERS



SMALL ANGLE GRINDER 4"

GWS 600 Professional

6



Technical Specifications

HSN code	84672900
Part no.	060137505F
Power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M10
Disc diameter	100 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹4,000



SMALL ANGLE GRINDER 4"

New! GWS 800 Professional



Back Switch

Technical Specifications

HSN code	84672900
Part no.	06013943F0
Power input	800 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.6 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange,

MRP: ₹5,250



SMALL ANGLE GRINDER 4"

GWS 750-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013940F0
Power input	750 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,425



SMALL ANGLE GRINDER 4"

GWS 900-100 Professional



Technical Specifications

HSN code	84672900
Part no.	06013960F0
Rated power input	900 W
Disc diameter	100 mm
No-load speed	11,000 rpm
Spindle diameter	M 10
Weight	1.8 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹6,625



ANGLE GRINDERS

SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

HSN code	84672900
Part no.	060137515A
Rated power input	670 W
No-load speed	11,000 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	1.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹5,875



SMALL ANGLE GRINDER 5"

GWS 900-125 S Professional



HEAVY DUTY




Technical Specifications

HSN code	84672900
Part no.	06013961F2
Rated input power	900 W
No-load speed	2,800 - 11,000 rpm
Disc diameter	125 mm
Grinding spindle thread	M 14
Weight	1.9 kg

Scope of supply:
Wrench,
Protective guard,
Auxiliary handle

MRP: ₹8,625




SMALL ANGLE GRINDER 5"

New! GWS 12-125 S Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06013A60F0
Rated input power	1,200 W
No-load speed	2,800 - 11,000 rpm
Grinding spindle thread	M 14
Weight	1.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹9,725



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional



HEAVY DUTY



Technical Specifications

HSN code	84672900
Part no.	06018242F1
Power input	1,400 W
No-load speed	11,000 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	2.2 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹12,475



SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional

6



Technical Specifications

HSN code	84672900
Part no.	06017A30F1
Power input	1,800 W
No-load speed	11,500 rpm
Grinding spindle thread	M 14
Disc diameter	125 mm
Weight without cable	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹19,375



ANGLE GRINDER with X-LOCK

GWX 17-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	06017C40F2
Power input	1,700 W
No-load speed	2,800 - 11,500 rpm
Disc diameter	125 mm
Wire cup brush, diameter	75 mm
Weight	2.5 kg

Scope of supply:
Wrench, Protective guard,
Auxiliary handle

MRP: ₹22,200



LARGE ANGLE GRINDER 7"

GWS 2200-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C00F0
Rated power input	2,200 W
No-Load speed	8,500 rpm
Grinding spindle	M14
Disc diameter	180 mm
Weight	5.5 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹13,375



LARGE ANGLE GRINDER 7"

New! GWS 24-180 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C20F0
Power input	2,400 W
No-load speed	8,500 rpm
Grinding spindle thread	M 14
Disc diameter	180 mm
Weight without cable	4.9 kg

Scope of supply:
Auxiliary handle, Guard,
Round nut, Pin spanner,
Clamping flange

MRP: ₹19,000



ANGLE GRINDERS

CYCLON TECH



RESTART PROTECTION

Prevents accidental restarts

OVERLOAD PROTECTION

Prevents motor burnout
Under extended overload conditions

LARGE ANGLE GRINDER 7"

New! GWS 24-180 JZ Professional


6



Technical Specifications

HSN code	84672900
Part no.	06018C23F0
Power input	2,400 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.8 kg
Scope of supply:	
	Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹19,500



LARGE ANGLE GRINDER 7"

New! GWS 30-180 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G00F0
Power input	2,800 W
No-load speed	8,500 rpm
Disc diameter	180 mm
Grinding spindle thread	M14
Weight	5.7 kg
Scope of supply:	
	Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle

MRP: ₹37,400



LARGE ANGLE GRINDER 9"

GWS 2200-230 Professional



Technical Specifications

HSN code	84672900
Part no.	06018C10F0
Rated power input	2,200 W
No-Load speed	6,500 rpm
Grinding spindle	M14
Disc diameter	230 mm
Weight	5.5 kg
Scope of supply:	
	Auxiliary handle, Guard, Round nut, Pin spanner, Clamping flange

MRP: ₹14,575



LARGE ANGLE GRINDER 7"

New! GWS 30-230 B Professional



Technical Specifications

HSN code	84672900
Part no.	06018G10F0
Power input	2,800 W
No-load speed	6,500 rpm
Grinding spindle thread	M 14
Disc diameter	230 mm
Weight without cable	5.9 kg
Scope of supply:	
	Auxiliary Handle, Guard, Round nut, Pin Spanner, Clamping Flange

MRP: ₹40,300



ANGLE GRINDERS

LARGE ANGLE GRINDER 7"

New! GWS 24-230 H Professional



Technical Specifications

HSN code	84672900
Part no.	06018C30F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M 14
Disc diameter	230 mm
Weight without cable	6 kg
Scope of supply: Auxiliary Handle, Guard, Round nut, Pin Spanner, Clamping Flange	



BeConnected



Warranty

MRP: ₹20,800



LARGE ANGLE GRINDER 9"

New! GWS 24-230 JZ Professional



Technical Specifications

HSN code	84672900
Part no.	06018C33F0
Power input	2,400 W
No-load speed	6,500 rpm
Grinding spindle thread	M14
Disc diameter	230 mm
Weight	6 KG
Scope of supply: Two-hole spanner, Backing flange, Locking nut, Cardboard box, Protective cover, Auxiliary handle	




BeConnected



Warranty

MRP: ₹21,300





SPECIALITY TOOLS



AAC BLOCK CUTTER

New! GAC 250 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN Code	84672200
Part No.	06012B60F0
Power Input	1,200 W
No-load chain speed	max. 12 m/s
Chain bar length	335 mm
Max. cutting capacity	250 mm
Tool weight	4.7 kg

Scope of supply:
Carton box
1x Guide rail, 1x Saw chain,
1x Sprocket wheel,
Protective cover

MRP: ₹21,250



BLOWER

GBL 620 Professional



Technical Specifications

HSN Code	84145920
Part No.	06019805f0
Power Input	620 W
No-load Speed	16,000rpm
Volumetric Flow Rate	3.5 m³/min
Standard Accessories	1 Nozzle
Weight Without Cable	1.7 kg

Scope of supply:
1x Nozzle

MRP: ₹4,775



BLOWER

GBL 82-270 Professional



HEAVY
DUTY



Technical Specifications

HSN code	85081100
Part no.	06019804F5
Input power	820 W
No-load Speed	16,000 Rpm
Flow Rate	4.5 M³/min
Weight	2.25 Kg

Scope of supply:
50 mm nozzle,
Extension nozzle, borehole
nozzle, Dust bag

MRP: ₹7,625



HEAT GUN

GHG 180 Professional



Technical Specifications

HSN code	84672900
Part no.	060194D0F0
Power input	1,800 W
Max. temperature	60 / 350 / 550° C
Air flow rate	350 / 350 / 550 lpm
Over-heat Protection	Yes
Weight	0.75 kg

scope of supply:
Reducing nozzle

MRP: ₹4,100



HEAT GUN

GHG 20-63 Professional



Technical Specifications

HSN code	84672900
Part no.	06012A62F0
Power input	2,000 W
Temperature range	50-630°C
Adjustable temperature	Yes
Steps	
Air flow rate	150 - 500 litre/min
Durability	600 h
Weight	0.65 kg

Scope of supply:
Glass Protection Nozzle,
Surface nozzle, welding glove,
Reduction nozzle,
Reflection nozzle.

MRP: ₹11,600



HEAT GUN

GHG 20-60 Professional



Technical Specifications

HSN code	84672900
Part no.	06012A64F0
Power input	2,000 W
Temperature max.	50-630°C
Adjustable temp steps	Yes
Air flow rate	~150 / 500 litre/min
Infinitely variable airflow control	No
Durability	500-750 h
Weight	0.55 kg

Scope of supply:
Glass protection nozzle

MRP: ₹13,125



METAL SURFACE FINISH

GPO 950 Professional



Technical Specifications

HSN code	84672900
Part no.	06013A20F0
Power	950 W
Variable speed	600 - 2,100 rpm
Grinding spindle thread	M14
Stick pad diameter	ø165 mm
Max. accessory diameter	180mm
Weight	2.3 kg

Scope of supply:
Sponge pad, Stick pad
M14 & M16 adapter, Wrench,
Auxiliary handle, Auxiliary plate

MRP: ₹12,375



METAL SURFACE FINISH

GPO 12 CE (Promo) Professional



Technical Specifications

HSN code	84672900
Part no.	06013890F1
No-load speed	750 - 3,000 rpm
Grinding spindle thread	M14
Rubber sanding plate	180 mm
Power input	1,250 W
Weight	2.5 kg

Scope of supply:
M14/M16 adapter,
Auxiliary handle, Spacer disc,
Auxiliary D-handle,
Wrench, Polishing pads

MRP: ₹19,750



RECIPSAW

GSA 120 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN code	84672200
Part no.	06016B10F0
Power input	1,200 W
Stroke rate	0 - 3,000 per min.
Stroke length	29 mm
Blade change	SDS
Max. cutting depth in wood	220 mm
Max. cutting depth in metal	20 mm
Weight	3.7 kg

Scope of supply:
1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹19,650



RECIPSAW

GSA 1300 PCE Professional



Technical Specifications

HSN code	84672200
Part no.	060164E2F0
Power input	1,300 W
Stroke rate at no load	0 - 2,900 spm
Stroke length	28 mm
Cutting depth in wood	220 mm
Cutting depth in metal	20 mm
Cutting depth in metal profiles and metal pipes	175 mm
Weight	1.1 kg

Scope of supply:

Carrying case,
1 x reciprocating saw blade S 2345 X,
1 x reciprocating saw blade S 123 XF

MRP: ₹26,375



DRYWALL SANDER

New! GTR 550 Professional



Technical Specifications

HSN code	84672900
4 Part no.	06017D40F0
Power input	550 W
No-load speed	340 - 910 rpm
Sanding pad diameter	215 mm
Sanding sheet diameter	225 mm
Weight	4.8 kg

Scope of supply:

Carry case, 1 x soft pad set,
1 x sanding sheet,
3 x cable clip

MRP: ₹38,450



VACUUM CLEANER

GAS 15 PS Professional



Technical Specifications

HSN code	85081100
Part no.	06019E51F0
Power input	1,100 W
Container (gross/net)	15/8L
Max. airflow	53 L/Sec
Max. vacuum pressure	270 mbar
Weight	6 kg

*Tool Socket for connecting Power Tools.

Scope of supply:

Crevice nozzle, Carton box,
3m anti-static hose, Elbow,
Tubes (2pcs), Plastic bags,
Floor nozzle set

MRP: ₹22,050



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	060197COF0
Power input	1,250 W
Vacuum pressure	200 mbar
Air Flow	63 L/Sec
Dust tank capacity gross	25L
Tank capacity net dry/wet	21/16L
Main filter class	H13 HEPA
Scope of supply:	
	3M Hose, Elbow, Crevice nozzle,
	Floor nozzle set, Adapter,
	Tubes (2 pcs),
	Plastic bags (5 pcs)

MRP: ₹25,825

GAS 12-25 Professional



VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019C30F0
Max. power input (Turbine)	1,380 W
Container volume, gross	35L
Container volume, net	23L
Container volume, net, water	19.2 L
Filter surface area	6,150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	11.6 kg
Scope of supply:	
	Brown box, Hose with BIA
	nozzle 3 m, 35 mm diameter,
	Elbow, Crevice nozzle,
	Floor nozzle set, Disposal bag
	Tool sleeve, SFC+ module

MRP: ₹86,450

GAS 35 L SFC+ Professional



*Tool Socket for connecting Power Tools.

VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	06019C33F0
Max. power input (Turbine)	1,380 W
Container volume, gross	55L
Container volume, net	43L
Container volume, net, water	40 L
Filter surface area	6.150 cm ²
Max. volume flow rate (Turbine)	74 L/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	16.2 kg
*Tool Socket for connecting Power Tools.	
Scope of supply:	
	5 m anti-static hose, Elbow,
	Crevice nozzle, Floor nozzle set,
	Disposal bag, Tool sleeve

MRP: ₹132,000

GAS 55 M AFC Professional



SMALL ANGLE GRINDER - CONCRETE



Technical Specifications

HSN code	84672900
Part no.	06017760F0
Rated power input	1,500 W
No-load speed	9,300 rpm
Grinding spindle thread	M14
Grinding head, diameter	125 mm
Weight	2.6 kg

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:
Clamp key, Carry case,
Diamond grinding head,
3 x replacement brush rings

MRP: ₹81,175

GBR 15 CAG Professional



OSCILLATING TOOL

GOP 30-28 Professional

7

SPECIALITY
TOOLS



Technical Specifications

HSN code	84672900
Part no.	06012370F0
Rated input power	300 W
No-load oscillation	8,000 - 20,000 opm
Oscillation angle on left and right	1.4°
Weight	1.5 kg




Till stocks last

MRP: ₹26,600



ROTARY & IMPACT DRILLS



ROTARY DRILL

GBM 350 Professional



Technical Specifications

HSN code	84672100
Part no.	06011A95F1
Power input	350 W
No-load speed	0 - 2,800 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg
Scope of supply	
Keyed chuck 10 mm	MRP: ₹ 3,450




ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06014775F0
Power input	600 W
No-load speed	0 - 2,600 rpm
Chuck capacity	1.5-13 mm
Drilling diameter in steel	13mm
Drilling diameter in aluminium	13 mm
Drilling diameter in wood	30mm
Weight	1.7 kg
Scope of supply:	
Keyed chuck 13 mm	MRP: ₹7,075



ROTARY DRILL / STIRRER

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011BOOF1
Power input	850 W
No-load speed	0 - 630 rpm
Rated torque	11 Nm
Lock-on button	Yes
Stirrer capacity	160 mm
Wood drilling	40 mm
Metal drilling	16 mm
Weight	3 kg
Scope of supply:	
Auxiliary handle	MRP: ₹16,675



ROTARY DRILL

GBM 50-2 Professional



Technical Specifications

HSN code	84672100
Part no.	06011B40F0
Power input	1,200 W
No-load speed	50-255 / 100-510 rpm
Annular cutter	Ø 50mm
Max. twist drill	Ø 23 mm
Max. thread	M16
Magnetic force	14,000 N
Weight	14.7 kg
Scope of supply:	
Carry case, MT2 drill drift, Hex key, Safety strap, Reduction sleeve, Pilot pin, Adapter for annular cutter, Cooling tank with hose, cooling tank holder	MRP: ₹123,725



IMPACT DRILL

GSB 450 Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FK
Input Power	450 W
Impact Rate	0 - 41,600 bpm
No-load speed	0 - 2,600 rpm
Max. drill capacity: concrete	10mm
Max. Grill capacity: steel	8mm
Max. drill capacity: wood	20mm
Weight	1.5 kg

MRP: ₹4,100



IMPACT DRILL

GSB 450 Wrap Set Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FL
Input Power	450 W
Impact Rate	0 - 41,600 bpm
No-load speed	0 - 2,600 rpm
Max. drill capacity: concrete	10mm
Max. Grill capacity: steel	8mm
Max. drill capacity: wood	20mm
Weight	1.5 kg

Scope of supply:

4 Pcs Concrete Drill Bits, 4 Pcs
Metal Drill Bits, 10 Pcs Screw-
driver Bits, 4 Pcs Wood Drill Bits

MRP: ₹5,100



IMPACT DRILL

GSB 501 Professional



Technical Specifications

HSN code	84672100
Part no.	06012161FD
Input power	500 W
No-load speed	0 - 2,600 rpm
Impact rate	0 - 25,700 bpm
Rated torque	1.5 Nm
Max. drill capacity: concrete	13mm
Max. drill capacity: steel	10 mm
Max. drill capacity: wood	25mm
Weight	1.5 kg

MRP: ₹4,650



IMPACT DRILL

New Launch! GSB 600 Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F3
Rated input power	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg

Scope of supply:

Auxiliary handle, Depth gauge,
Keyed chuck 13 mm

MRP: ₹4,400



IMPACT DRILL

GSB 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F3
Rated input power	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm

MRP: ₹7,425



IMPACT DRILL

GSB 16 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06012281F0
Rated input power	750 W
No-load speed	0 - 3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0 - 48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹11,725



IMPACT DRILL

GSB 20-2 RE Professional



Technical Specifications

HSN code	84672100
Part no.	06011A21F1
Power input	800 W
No-load speed (1/2" Gear)	1,100/3,000 rpm
Impact Rate	48,000 bpm
Max. drilling diameter (18/24 gear) Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.6 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹17,775



IMPACT DRILL

GSB 500 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F8
Power input	500 W
No-load speed, 1 st gear	0 - 2,600 rpm
Impact rate at no-load speed	0 - 41,600 bpm
Chuck capacity, min./max.	1.5 - 10 mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Chuck key,
Depth gauge

MRP: ₹7,950



IMPACT DRILL

GSB 600 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F8
Power input	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13mm
Weight	1.8 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm,
100 pcs accessory set

MRP: ₹9,375



IMPACT DRILL

GSB 10 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012161F4
Power input	500 W
No-load speed	0 - 2,600 rpm
Impact rate at no-load speed	0 - 41,600 bpm
Drilling diameter in masonry wall	10 mm
Drilling diameter in steel	8mm
Drilling diameter in wood	20 mm
Chuck capacity	1-10 mm
Weight	1.5 kg

Scope of supply:
Keyed chuck 10 mm,
100 pcs accessory set

MRP: ₹7,950



IMPACT DRILL

GSB 13 RE Kit Professional



Technical Specifications

HSN code	84672100
Part no.	06012171F6
Power input	600 W
No-load speed	0 - 2,800 rpm
Impact rate	48,000 bpm
Drilling diameter in masonry	13mm
Drilling diameter in wood	25 mm
Drilling diameter in steel	10 mm
Weight	1.6 kg

Scope of supply:
Auxiliary handle, Depth gauge,
Keyed chuck 13 mm,
100 pcs accessory set

MRP: ₹9,725





CHOPSAWS



BENCH TOP CUT-OFF SAW

GCO 220 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B373F0
Input power	2,200 W
No-load speed	3,800 rpm
Disc diameter	355 mm
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity round	129 x 129 mm
Cutting capacity L-profile	130x130 mm
Weight	14 kg
Scope of supply:	
Cutting disc	

MRP: ₹18,100



BENCH TOP CUT-OFF SAW


GCO 14-24 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B371F0
Input power	2,400 W
Cutting capacity rectangle	100x196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity L-profile	130x130 mm
No-load speed	3,800 rpm
Disc diameter	355 mm
Weight	17.5 kg
Scope of supply:	
Cutting disc	

MRP: ₹22,050



BENCH TOP CUT-OFF SAW

GCO 14-24 J (Soft-Start) Professional




Technical Specifications

HSN code	84672200
Part no.	0601B372F0
Rated power input	2,400 W
No-load speed	3,800 rpm
Saw blade diameter	355 mm
Saw blade bore	25.4 mm
Cutting capacity at rectangle	100 x 196 mm
Cutting capacity at square	119x119 mm
Cutting capacity at L-profile	130 x 130 mm
Weight	18.1 kg
Scope of supply:	
Cutting disc	

MRP: ₹23,850



METALWORKING



STRAIGHT GRINDER

GGG 3000 L Professional

10



Technical Specifications

HSN code	84672900
Part no.	06012240F0
Power input	300 W
No-load speed	0 - 28,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.5 kg

Scope of supply:
Collet chuck, Lock nut,
Spanner

MRP: ₹11,375



STRAIGHT GRINDER

GGG 5000 L Professional



Technical Specifications

HSN code	84672900
Part no.	06012241F0
Power input	500 W
No-load speed	33,000 rpm
Collet chuck diameter max.	8 mm
Spindle collar diameter	41 mm
Weight without cable	1.4 kg

Scope of supply:
Collet chuck,
2 x Single head open
end wrench

MRP: ₹13,700



STRAIGHT GRINDER

GGG 28 LCE Professional



Technical Specifications

HSN code	84672900
Part no.	06012211F0
Power input	650 W
No-load speed	10,000 - 28,000 rpm
Tool holder Up to	8 mm
Weight without cable	1.6 kg

Scope of supply:
Clamping unit,
13 mm spanner,
19 mm spanner

MRP: ₹30,775



BT GRINDERS

GBG 35-15 Professional



Technical Specifications

HSN code	84672900
Part no.	060127A3F0
Power input	350 W
No load speed	3,000 rpm
Disc diameter	150 mm
Grinding disc width	20 mm
Grinding disc bore	20 mm
Weight	10 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹14,350



METALWORKING

BT GRINDERS

GBG 60-20 Professional



Technical Specifications

HSN code	84672900
Part no.	060127A4F0
Power input	600 W
No load speed	(50/60Hz) 3,000 rpm
Disc diameter	200 mm
Grinding disc width	25 mm
Grinding disc bore	32 mm
Weight	17 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24,
Grinding wheel, Normal grit, Grit 60

MRP: ₹22,850



IMPACT WRENCH

GDS 30 Professional



Technical Specifications

HSN code	84672100
Part no.	06014351F3
Power input	920 W
Torque max. (hard/soft)	1,000 / 500 Nm
Rated speed	860 rpm
Tool holder	1" Sq. Drive
Bolt diameter Max.	M30
Weight	7.3 kg

Scope of supply:
Auxiliary handle,
Hanging loop


MRP: ₹ 148,425





WOODWORKING

WOODWORKING



CIRCULAR SAW

GKS 140 Professional



Technical Specifications

HSN code	84672200
Part no.	06016B30F0
Power input	1,400 W
Blade diameter/bore size	184/20mm
No-load speed	6,000 rpm
Max. depth of cut at	0° 64 +/-1
Cutting depth at	90° 64 mm
Cutting depth at	45° 45 mm

Scope of supply:
Parallel guide,
Circular saw blade,
Allen key

MRP: ₹11,600



CIRCULAR SAW

GKS 190 Professional



Technical Specifications

HSN code	84672200
Part no.	06016230F1
Power input	1,400 W
No-load speed	5,500 rpm
Saw blade bore	20 mm
Saw blade diameter	184 mm
Cutting depth	(90°) 67 mm
Cutting depth	(45°) 48 mm
Weight without cable	4.1 kg

Scope of supply:
Allen key WAF 5, Parallel guide,
Saw blade

MRP: ₹15,900



CIRCULAR SAW

GKS 235 Turbo Professional



Technical Specifications

HSN code	84672200
Part no.	06015A20F0
Power input	2,050 W
No-load speed	0 - 5,300 rpm
Saw blade bore	25 mm
Saw blade diameter	235 mm
Cutting depth	(90°) 85 mm
Cutting depth	(45°) 65 mm
Weight without cable	7.6 kg

Scope of supply:
Allen Key, Wrench,
Saw blades

MRP: ₹20,650



PLANER

GHO 26-82 D Professional



Technical Specifications

HSN code	84672900
Part no.	06015A40F0
Power input	710 W
No-load speed	16,500 rpm
Recess	9mm
Cutting width	82 mm
Max. cutting depth	2.6 mm
Weight	3 kg

Scope of supply:
Dust box, Parallel guide
Auxiliary blade

MRP: ₹16,125



JIGSAW

GST 650 Professional



Technical Specifications

HSN code	84672200
Part no.	06015A80F0
Power input	450 W
No-load speed	800 - 3,100 rpm
Max. cutting depth in wood	65 mm
Max. cutting depth in aluminium	10 mm
Max. cutting depth in metal	3 mm
Weight	1.9 kg
Scope of supply:	
1 Wood blade, 1 Allen key	

MRP: ₹6,200



JIGSAW

GST 150 BCE Professional



Technical Specifications

HSN code	84672200
Part no.	06015130F0
Power input	780 W
Stroke rate at no load	500 - 3,100 spm
Cable length	4 m
Weight	2.7 kg

Scope of supply:
1 Wood blade, 1 Allen key

MRP: ₹28,250



Till stocks last

JIGSAW

GST 90 BE Professional



Technical Specifications

HSN code	84672200
Part no.	060158F0F0
Power input	650 W
No-load stroke rate	500 - 3,100 spm
Cable length	2.5m
Cutting depth in wood	90 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight	2.6 kg

Scope of supply:
Dust extraction set, Carry case, Hex key WAF 5, Anti-splinter guard, 5 x jigsaw blade T 144 D

MRP: ₹21,100



TABLE SAW

New! GTS 254 Professional



Technical Specifications

HSN code	84672200
Part no.	0601B450F0
Cutting depth	0"/45" 80/55 mm
Rip cut capacity	545 mm
Power	1,800 / 15A
Saw blade diameter	254 mm
Overload / restart protection	Yes
Table size	55 x 555 mm
Weight with stand	24.4 kg

Scope of supply:
Wood disc, Metal stand

MRP: ₹39,275



TABLE SAW

GTS 10 J Professional



Technical Specifications

HSN code	84672200
Part no.	0601B305F0
No-load speed	3,650 rpm
Table size	642 x 634 mm
Saw blade diameter	254 mm
Cutting height 90°	79 mm
Saw bore diameter	30 mm
Max. cutting on right	635 mm
Max. cutting on left	255 mm
Weight	27 kg
Scope of supply:	
Angle guide,	
Dust extraction adapter,	
Parallel guide, Push stick,	
Saw blade 254 x 30 mm	

MRP: ₹107,850



Till stocks last

MITRE SAW

GCM 10 MX Professional



*Without Blade

Technical Specifications

HSN code	84672200
Part no.	0601B290F0
Power input	1,700 W
Cutting capacity, 0°	89 mm
Cutting capacity, 45° incline	67 mm
No-load speed	4,800 rpm
Saw blade diameter	255 mm
Saw blade bore	25.4 mm
Weight	14.1 kg
Scope of supply:	
Allen key, Pro-Prevnes,	
Wrench, Carton box	

MRP: ₹33,650



PLANER

GHO 6500 Professional



Technical Specifications

HSN code	84672900
Part no.	06015960F0
Power input	650 W
No-load speed	16,500 rpm
Planing width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kg
Scope of supply:	
Allen key, Parallel guide,	
Sharpening device for HSS blade,	
Setting gauge for HSS blade	

MRP: ₹11,600



PLANER

GHO 10-82 Professional



Technical Specifications

HSN code	84672900
Part no.	06015940F1
Power input	710 W
Adjustable rebating depth	0-9mm
No-load speed	16,500 rpm
Cutting width	82 mm
Cutting depth max.	1mm
Weight without cable	2.5 kg
Scope of supply:	
Guide bracket,	
Single-ended open-jaw spanner,	
Stop bracket	

MRP: ₹12,825



RANDOM ORBITAL SANDER

GEX 125-1 AE Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06013875F2
Power input	250 W
Sanding pad diameter	125 mm
No-load speed	7,500 - 12,000 rpm
Orbital stroke rate	15,000 - 24,000 opm
Eccentricity	1.25 mm
Oscillating circuit diameter	2.5 mm
Weight	1.3 kg
Scope of supply:	
Dust box, Sanding disc	

MRP: ₹10,625



RANDOM ORBITAL SANDER

GEX 34-150 Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06013728F0
Power input	340 W
No-load speed	4,500 - 12,000 rpm
Orbital stroke rate	9,000 - 24,000 opm
Orbit diameter	4mm
Pad diameter	150 mm
Cord	4mm
Weight	2.4 Kg
Scope of supply:	
Vac Adapter, Dust bag, Medium Pad 150mm	

MRP: ₹22,300



ORBITAL SANDER GSS 140

GSS 140 Professional



BeConnected



Technical Specifications

HSN code	84672900
Part no.	06012A80F0
Power input	220 W
No-load speed	14,000 rpm
No-load orbital stroke rate	28,000 opm
Orbital diameter	1.5mm
Sanding sheet dimension	114x140 mm
Sanding plate dimension	101x112 mm
Weight	1.2 kg
Scope of supply:	
Wood Sanding paper 3 pcs	

MRP: ₹4,775



ORBITAL SANDER

GSS 2300 Professional



Technical Specifications

HSN code	84672900
Part no.	06012980F0
Power input	190 W
No-load speed	12,000 rpm
Sanding sheet size	230 mm x 93 mm
Sanding plate size	182 mm x 92 mm
Weight	1.5 kg

Scope of supply:
Carton box,
3 Sanding sheets

MRP: ₹8,975



ROUTER

GKF 550 Professional



Technical Specifications

HSN code	84672900
Part no.	06016A00F0
Power input	550 W
No-load speed	33,000 rpm
Bit size	6 / *%4" mm
Weight	1.4 kg

Scope of supply:
Parallel guide, Roller guide,
Template guide, Spinners,
Straight bit

MRP: ₹8,525



ROUTER

GOF 130 Professional



Technical Specifications

HSN code	84672900
Part no.	06016B70F0
Power input	1,300 W
No-load speed	11,000 - 28,000 rpm
Bit holder	6 - 8.0 mm
Router bit diameter	40 mm
Weight	3.5 kg

Scope of supply:
Wrench, Parallel guide, Template
guide, Dust extraction adapter,
Centering pin, Guide roller,
Collet 8 mm, Collet 6 mm

MRP: ₹15,350



DRYWALL SCREWDRIVER

GTB 650 Professional



Technical Specifications

HSN code	84672100
Part no.	06014A20F0
Power input	650 W
No-load speed	0 - 5,000 rpm
Torque, max.	12 Nm
Bit holder	1/4" internal hexagon
Weight	1.4 kg

Scope of supply:
Carry case

MRP: ₹12,825



STORAGE SOLUTIONS

STORAGE SOLUTIONS



STORAGE BOXES

i-BOXX 53



Technical Specifications

HSN code	39231090
Part number	1600A001RV
Material	Plastic
Application	For use with L-Boxx 3D
Weight	0.81 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹3,000



STORAGE BOXES

i-BOXX 72



Technical Specifications

HSN code	39231090
Part number	1600A001RW
Material	Plastic
Application	For use with L-Boxx-3D
Weight	0.87 kg

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹2,350



STORAGE BOXES

L-BOXX 102 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012FZ
Material	ABS
Suitable for	All types of Power Tools
Weight	1.8 kg

MRP: ₹4,100



STORAGE BOXES

L-BOXX 136 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G0
Material	ABS
Application	For use with L-Boxx-3D
Weight	2.2 kg

MRP: ₹4,200



STORAGE BOXES

L-BOXX 238 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G2
Material	ABS
Weight	2.8 kg

MRP: ₹5,750



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

HSN code	39231090
Part number	1600A012G3
Material	ABS
Suitable for	All types of Power Tools
Weight	3.0 kg

MRP: ₹7,625



STORAGE BOXES

L-BOXX Mini 2.0 Professional



Technical Specifications

HSN code	39231090
Part number	1600A007SF
Material	PP
Maximum load	1.5 kg
Weight	0.3 kg

MRP: ₹1,350



STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

HSN code	39231090
Part number	1600A001RU
Material	ABS
Product Type	LS-BOXX Tool Storage
Weight	3.85 kg

MRP: ₹9,625



STORAGE BOXES

LT-BOXX 170 Professional

12



Technical Specifications

HSN code	39231090
Part number	1600A00222
Material	ABS
Weight	2.3 kg

MRP: ₹6,525



TOOL BAG

MEDIUM TOOL BAG - 48 x 28 x 30



Technical Specifications

HSN code	42021990
Part number	1600A003BJ
Length	480 mm
Width	300 mm
Height	280 mm
Weight	1.5 kg

MRP: ₹3,550



TOOL BAG

LARGE TOOL BAG - 55 x 35 x 35



Technical Specifications

HSN code	42021990
Part number	1600A003BK
Length	550 mm
Width	350 mm
Height	350 mm

MRP: ₹4,100



Symbols and their meaning.



Guide Rail
For precise cuts.



"Plus-clean" System
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable Cable



Handle



Carrying Case



Slim Grip
Slim Grip



Spindle Lock
Faster, easier disc tool changing.



High Torque



Adjustable Cutter Clearance
Screw to adjust the cutter clearance according to sheet thickness.



LBOXX
Intelligent system for transport and storage.



2 in 1 Dual Tool Holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus Tool Holder
Optimum power transfer. For Rotary Hammers in the 2Kg; 4kg class.



SDS-max Tool Holder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload Clutch



Forward/Reverse Rotation
For inserting and removing screws.



Lithium-ion Technology
No self-discharge. No memory effect.



Anti-rotation Protective Guard
Stands firm, even if the disc breaks.



Brake System
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart Protection
Prevents the tool from automatically starting up after a power cut.



Dust Extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct Cooling
For high overload capability and a long service life.



Starting Current Limitation
For a safe start.



Saw Blade Pendulum Action
Adjustable 3-stage or 4-stage saw blade pendulum action.



INOX
For a perfect finish on stainless steel



Easy-Fit
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine Depth Adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser Class 3R
Laser class for various measuring tools.



Laser Class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

Part Number	Category	Model Number	HSN Code	MRP ₹
CORDLESS				
06019H21L1	Screwdriver	Bosch GO 2.0	84672900	5,425
06019H2181	Screwdriver	Bosch GO 2.0 Kit	84672900	5,875
06019G80F1	Drill Driver	GSR 120-Li (Single Battery)	84672100	7,525
06019G80F0	Drill Driver	GSR 120-Li Kit	84672100	12,025
06019G9082	Drill Driver	GSR 12V-30 (Solo)	84672100	10,475
06019J9180	Drill Driver	GSR 12V-35 HX (Solo)	84672100	11,925
06019F60F0	Drill Driver	GSR 12V-15 FC	84672100	27,025
06019F81F0	Drill Driver	GSR 180-Li	84672100	18,650
06019k31f2	Drill Driver	New! GSR 185-Li Kit	84672100	16,875
06019H5082	Drill Driver	GSR 18V-50 Solo	84672100	14,300
06019H50F0	Drill Driver	GSR 18V-50 Kit	84672100	27,025
06019G81F2	Impact Drill Driver	GSB 120-Li Kit	84672100	13,075
06019F83F0	Impact Drill Driver	GSB 180-Li	84672100	19,650
06019K31F2	Impact Drill Driver	New! GSB 185-Li Kit	84672100	18,900
06019J51L0	Drill Driver	New! GSB 18V-150 C (Solo)	84672100	29,500
06019F00F0	Impact Wrench	GDR 120-Li Kit	84672100	16,550
06019E00F6	Impact Wrench	GDR 12 V-EC	84672100	27,375
06019G51F0	Impact Wrench	New! GDR 180-Li	84672100	29,125
06019G42F0	Impact Wrench	GDX 18V-200 C	84672900	39,325
06019J23F0	Impact Wrench	GDS 18V-200	84672100	34,200
06019G61F0	Impact Wrench	GDS 250-Li	84672900	34,425
06019K00K1	Impact Wrench	GDS 18V-400 (Solo)	84672100	18,750
06019K00F0	Impact Wrench	GDS 18V-400	84672100	47,150
06019J85F0	Impact Wrench	GDS 18V-1050 H	84672100	63,650
06119111F0	Rotary Hammers 1-2 Kg	GBH 180-Li	84672900	42,050
06119240F0	Rotary Hammers 1-2 Kg	New Launch! GBH 185-Li	84672100	42,350
0611914082	Rotary Hammers 4 Kg	GBH 18V-34 CF (Solo)	84672100	80,325
06019C50K1	Rotary Tool	New Launch! GRO 12V-35 (Solo)	84672900	8,300
06019J40F0	Small Angle Grinder	GWS 18V-10 (100 mm) Kit	84672900	45,450
06019H90F0	Small Angle Grinder	GWS 180-Li (100 mm) Kit	84672900	37,625
06019H90K0	Small Angle Grinder	GWS 180-Li (Solo) (100 mm)	84672900	15,950
06019H91K0	Small Angle Grinder	New! GWX 180-Li (Solo) (125mm)	84672900	17,850
06019J4002	Small Angle Grinder	GWS 18V-10 (125 mm) (Solo)	84672900	20,800
06019F51L0	Blower	GBL 18V-120 (Solo)	84145920	9,450
06019K10F1	Cutting	New! Pro Pruner	84672900	22,875
06016C12L1	Circular Saws	GKS 185-Li (Solo)	84672900	18,950
06016A22L0	Circular Saws	Till stocks last GKS 18V-57 (Solo)	84672900	23,400
06019K5080	Rivet Gun	New! GRG 18V-16 C (Solo)	84672200	75,075
06016A5080	All Purpose / Recipsaw	GSA 18V-Li Compact (Solo)	84672200	27,150
06016A8108	All Purpose / Recipsaw	GSA 18V-32 (Solo)	84672200	62,475
06016C00L0	All Purpose / Recipsaw	Launching soon! GSA 185-Li	84672200	MRP*
06013A5080	Random Orbit Sander	GEX 185-Li (Solo)	84672900	10,050
06019K70L1	Drywall Screwdriver	GTB 185-Li (Solo)	84672900	13,700
06015B3 0L3	Jigsaw	GST 185-Li (Solo)	84672900	14,975
06019C62L0	Vacuum Cleaner	GAS 18V-1 (Solo)	84672900	9,525
BATTERY				
1600A00F6X	Battery	GBA 12V 2.0 Ah	85076000	3,775
1600A001CG	Battery	GBA 18V 2.0 Ah	85076000	6,075
1600A00163	Battery	GBA 18V 4.0 Ah	85076000	9,175
1600A0193L	Battery	ProCORE 18V 4.0 Ah	85076000	11,475
1600A0193N	Battery	ProCORE 18V 8.0 Ah	85076000	21,300
1.600A021L7	Charger	New! GAL 12V-20	85044030	3,275
1600A022V0	Charger	GAL 12V-40	85044030	3,450
1600A022V1	Charger	GAL 18V-40	85044030	4,425
1600A022V3	Starter Kits	GAL 12V-40 + 2x GBA 12V 2.0Ah	85076000	9,625
1600A022V4	Starter Kits	GAL 18V-40 + 2x GBA 18V 2.0Ah	85076000	16,125
1600A022V2	Starter Kits	GAL 18V-40 + 2x GBA 18V 4.0Ah	85076000	22,250

Part Number	Category	Model Number	HSN Code	MRP ₹
DEMOLITION HAMMERS				
06113386F1	Demolition Hammer < 5 Kg	New! GSH 500 Hex	84672100	27,025
06113387F0	Demolition Hammer < 5 Kg	GSH 500 MAX	84672100	34,325
06113370F0	Demolition Hammer < 5 Kg	GSH 5	84672100	47,150
06113168F2	Demolition Hammer < 11 Kg	New! GSH 11 E Promo	84672100	60,100
06113360F0	Demolition Hammer < 11 Kg	GSH 11 VC	84672100	105,100
06113440F0	Demolition Hammer < 14 Kg	New Launch! GSH 14 C	84672100	99,500
06113351F0	Demolition Hammer > 16 Kg	GSH 16-30	84672100	147,325
061130A0F0	Demolition Hammer > 27 Kg	GSH 27 VC	84672100	292,300
ROTARY HAMMERS				
06112A60F0	Rotary Hammer 1 - 2 Kg	GBH 220	84672100	10,625
06112721F1	Rotary Hammer 1 - 2 Kg	GBH 2-24 DRE	84672100	16,450
0611251755	Rotary Hammer 1 - 2 Kg	GBH 2-26 RE	84672100	20,200
06112537F0	Rotary Hammers 1 - 2 Kg	GBH 2-26 DRE + Drill Chuck	84672100	21,850
06112671F0	Rotary Hammers 1 - 2 Kg	GBH 2-28 DV	84672100	24,600
06113321F0	Rotary Hammers 4 Kg	GBH 4-32 DFR	84672100	47,550
06112690F0	Rotary Hammer 5 Kg and more	GBH 5-40 D	84672100	62,200
06112650F0	Rotary Hammer 5 Kg	GBH 8-45 DV	84672100	112,700
06112660F0	Rotary Hammers 12 Kg	GBH 12-52 DV	84672100	134,750
DIAMOND TECHNOLOGY				
06013930F1	Stone Cutter	GDC 120	84672900	6,075
06013931F1	Stone Cutter	GDC 141	84672900	7,250
GRINDERS				
060137505F	Mini Grinder 4"	GWS 600	84672900	4,000
06013943F0	Mini Grinder 4"	New! GWS 800	84672900	5,250
06013940F0	Mini Grinder 4"	GWS 750-100	84672900	5,425
06013960F0	Mini Grinder 4"	GWS 900-100	84672900	6,625
060137515A	Mini Grinder 5"	GWS 6-125	84672900	5,875
06013961F2	Mini Grinder 5"	GWS 900-125 S	84672900	8,625
06013A60F0	Mini Grinder 5"	New! GWS 12-125 S	84672900	9,725
06018242F1	Mini Grinder 5"	GWS 14-125 CI	84672900	12,475
06017A30F1	Mini Grinder 5"	GWS 18-125 L	84672900	19,375
06017C40F2	Mini Grinder with X-LOCK	GWX 17-125 S	84672900	22,200
06018C00F0	Large Angle Grinder 7"	GWS 2200-180	84672900	13,375
06018C20F0	Large Angle Grinder 7"	New! GWS 24-180	84672900	19,000
06018C23F0	Large Angle Grinder 7"	New! GWS 24-180 JZ	84672900	19,500
06018G00F0	Large Angle Grinder 9"	New! GWS 30-180 B	84672900	37,400
06018C10F0	Large Angle Grinder 9"	GWS 2200-230	84672900	14,575
06018G10F0	Large Angle Grinder 9"	New! GWS 30-230 B	84672900	40,300
06018C30F0	Large Angle Grinder 9"	New! GWS 24-230 H	84672900	20,800
06018C23F0	Large Angle Grinder 7"	New! GWS 24-230 JZ	84672900	21,300
SPECIALITY TOOLS				
06012B60F0	AAC Block Cutter	New! GAC 250	84672200	21,250
06019805F0	Blower	GBL 620	84145920	4,775
06019804F5	Blower	GBL 82-270	85081100	7,625
060194D0F0	Heat Gun	GHG 180	84672900	4,100
06012A62F0	Heat Gun	GHG 20-63	84672900	11,600
06012A64F0	Heat Gun	GHG 20-60	84672900	13,125
06013A20F0	Metal Surface Finish	GPO 950	84672900	12,375
06013890F1	Metal Surface Finish	GPO 12 CE (Promo)	84672900	19,750
06016B10F0	Recipsaw	GSA 120	84672200	19,650
060164E2F0	Recipsaw	GSA 1300 PCE	85081100	26,375
06017D40F0	Drywall Sander	New! GTR 550	85081100	38,450
06019E51F0	Vacuum Cleaner	GAS 15 PS	85081100	22,050
060197C0F0	Vacuum Cleaner	GAS 12-25	85081100	25,825
06019C30F0	Vacuum Cleaner	GAS 35 L SFC +	85081100	86,450
06019C33F0	Vacuum Cleaner	GAS 55 M AFC	85081100	132,000
06017760F0	Concrete Grinder	GBR 15 CAG	84672900	81,175
06012370F0	Oscillating Tools	Till stocks last GOP 30-28	84672900	26,600

Part Number	Category	Model Number	HSN Code	MRP ₹
DRILLS				
06011A95F1	Rotary Drill	GBM 350	84672100	3,450
06014775F0	Rotary Drill	GBM 13 RE	84672100	7,075
06011B00F1	Rotary Drill	GBM 1600 RE	84672100	16,675
06011B40F0	Rotary Drill	GBM 50-2	84672100	123,725
06012161FK	Impact Drill	GSB 450	84672100	4,100
06012161FL	Impact Drill	GSB 450 Wrap Set	84672100	5,100
06012161FD	Impact Drill	GSB 501	84672100	4,650
06012171F3	Impact Drill	New Launch! GSB 600	84672100	4,400
06012171F3	Impact Drill	GSB 13 RE	84672100	7,425
06012281F0	Impact Drill	GSB 16 RE	84672100	11,725
06011A21F1	Impact Drill	GSB 20-2 RE	84672100	17,775
06012161F8	Impact Drill	GSB 500 RE Kit	84672100	7,950
06012171F8	Impact Drill	GSB 600 RE Kit	84672100	9,375
06012161F4	Impact Drill	GSB 10 RE Kit	84672100	7,950
06012171F6	Impact Drill	GSB 13 RE Kit	84672100	9,725
CHOPSAWS				
0601B373F0	Bench Top Cut-off Saw	GCO 220	84672200	18,100
0601B371F0	Bench Top Cut-off Saw	GCO 14-24	84672200	22,050
0601B372F0	Bench Top Cut-off Saw	GCO 14-24 J (Soft-Start)	84672200	23,850
METALWORKING				
06012240F0	Straight Grinder	GGs 3000 L	84672900	11,375
06012241F0	Straight Grinder	GGs 5000 L	84672900	13,700
06012211F0	Straight Grinder	GGs 28 LCE	84672900	30,775
060127A3F0	Bench Grinder	GBG 35-15	84672900	14,350
060127A4F0	Bench Grinder	GBG 60-20	84672900	22,850
06014351F3	Impact Wrench	GDS 30	84672100	148,425
WOODWORKING				
06016B30F0	Circular Saw	GKS 140	84672200	11,600
06016230F1	Circular Saw	GKS 190	84672200	15,900
06015A20F0	Circular Saw	GKS 235 Turbo	84672200	20,650
06015A80F0	Jigsaw	GST 650	84672200	6,200
06015130F0	Jigsaw	Till stocks last GST 150 BCE	84672200	28,250
060158F0F0	Jigsaw	GST 90 BE	84672200	21,100
0601B450F0	Table Saw	New! GTS 254	84672200	39,275
0601B305F0	Table Saw	Till stocks last GTS 10 J	84672200	107,850
0601B290F0	Mitre Saw	GCM 10 MX	84672200	33,650
06015960F0	Planer	GHO 6500	84672900	11,600
06015940F1	Planer	GHO 10-82	84672900	12,825
06015A40F0	Planer	GHO 26-82 D	84672900	16,125
06013875F2	Random Orbital Sander	GEX 125-1 AE	84672900	10,625
06013728F0	Random Orbital Sander	GEX 34-150	84672900	22,300
06012A80F0	Orbital Sander	GSS 140	84672900	4,775
06012980F0	Orbital Sander	GSS 2300	84672900	8,975
06016A00F0	Router	GKF 550	84672900	8,525
06016B70F0	Router	GOF 130	84672900	15,350
06014A20F0	Screwdriver	GTB 650	84672100	12,825
STORAGE SOLUTIONS				
1600A001RV	Storage Boxes	i-BOXX 53	39231090	3,000
1600A001RW	Storage Boxes	i-BOXX 72	39231090	2,350
1600A012FZ	Storage Boxes	L-BOXX 102	39231090	4,100
1600A012G0	Storage Boxes	L-BOXX 136	39231090	4,200
1600A012G2	Storage Boxes	L-BOXX 238	39231090	5,750
1600A012G3	Storage Boxes	L-BOXX 374	39231090	7,625
1600A007SF	Storage Boxes	L-BOXX Mini 2.0	39231090	1,350
1600A001RU	Storage Boxes	L-BOXX 306	39231090	9,625
1600A00222	Storage Boxes	LT-BOXX 170	39231090	6,525
1600A003BJ	Tool Bag	TOOL BAG - 48 x 28 x 30	42021990	3,550
1600A003BK	Tool Bag	TOOL BAG - 55 x 35 x 35	42021990	4,100

TERMS AND CONDITIONS

- Traditional Trade Price list, subjected to change without any prior notice.
- Standard TT discount is applicable on List Price / Promo List Price.
- Promo prices are subjected to meeting minimum ordering quantity.
- All prices mentioned above are excluding GST. Current rate of GST is 18% and will be charged additionally.
- HSN code and EAN codes are indicative. For more details, please follow the invoice.
- In case of any dispute, system prices will be considered as final prices. Before placing the order, kindly check the latest price in B2B.
- This price list supersedes all previous prices communicated.
- MRP on the tools may be different based on manufacturing / imported date.
- In case if any products not listed above and available in stock, you may contact PT-BE/MKR-IN for pricing prior to invoicing.
- In case of any disputes PT-BE/MKR-IN & PT-BE/SAD decision is final & are subject to Bangalore jurisdiction.



BOSCH

Professional

1 year warranty from
the date of purchase*

**HEAVY
DUTY**

1 year warranty from
the date of purchase*

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all material and manufacturing defects for a period of 6 months from the date of purchase *for Professional Tools and 1 year from the date of purchase* for Professional Heavy Duty Tools.

In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that:

- ▶ The Power Tool has not been tampered with.
- ▶ Failure has occurred due to manufacturing/material defects.
- ▶ The Power Tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the Power Tool, guarantee card and original tool purchase receipt or invoice.

This warranty does not cover:

- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.





Bosch Limited, Power Tools Division
PA-AT Complex, Hosur Road, Adugodi,
Bangalore - 560030

 www.facebook.com/BoschPTindia



Customer Contact Center

1800 425 8665

Email: bpt@in.bosch.com

www.bosch-pt.co.in

Edition: Jan 2023